





## **TEST REPORT**

Test Report # 16H-07496(A1) Date of Report Issue: January 6, 2017

Date of Sample Received: December 30, 2016 Pages: Page 1 of 10

**CLIENT INFORMATION:** 

Company: BIC Graphic

Recipient: 14421 Myerlake Circle

Clearwater Florida 33760

United States (USA)

**SAMPLE INFORMATION:** 

Description: Trade Zippered Padfolio, Trade Padfolio

Assortment: - Purchase Order Number: 7903

Item No.: 15869, 15870 Country of Origin: China

Country of Distribution: United States, Canada Labeled Age Grade: 
Quantity Submitted: 3 pcs per style Recommended Age Grade: -

Testing Period: 12/30/2016 – 01/06/2017 Tested Age Grade: -

**OVERALL RESULT:** 

P PASS

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED



Loska Yeung Lok Ka Leader, Chemical Laboratory

ANSECO GROUP (HK) LIMITED \* 3/F Liven House \* No. 61 – 63 King Yip Street \* Kwun Tong \* Kowloon \* Hong Kong \* Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 2 of 10

## **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Canadian Toys Regulations SOR/2011-17 as Amended by SOR/2016-195, Item 23 Total Lead and Mercury in Paints and Surface Coatings

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000



Test Report # 16H-07496(A1) Pages: Page 3 of 10

## **DETAILED RESULTS:**

## CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14a					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
14a	Black coating	Black metal zipper pull (only Item 15869) (Trade Zippered Padfolio – black style)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 4 of 10

## **DETAILED RESULTS:**

## California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14a					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## Remark:

The specification is quoted from client's requirement.

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
14a	Black coating	Black metal zipper pull (only Item 15869) (Trade Zippered Padfolio – black style)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 5 of 10

## **DETAILED RESULTS:**

## California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	3	5	7	8	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	10	11	12	14b	16	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	17	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	17					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					100
Conclusion	PASS					

#### Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## Remark:

The specification is quoted from client's requirement.

Specimen No. 8 (Black plastic ID window trim (all styles)) is same material as Specimen No. 3.

ANSECO GROUP (HK) LIMITED \* 3/F Liven House \* No. 61 – 63 King Yip Street \* Kwun Tong \* Kowloon \* Hong Kong \* Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 6 of 10

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location		
1	Black textile with black PVC backing	Charcoal polyester cover (all styles)		
3	Black soft plastic with grey textile backing	Charcoal PU Leather decoration (all styles)		
5	Dull black textile	Black fabric interior trim (only Item 15869) (Trade Zippered Padfolio – black style)		
7	Matt black textile with grey soft plastic	Black elastic loop (all styles)		
8	Black soft plastic with grey textile backing	Black plastic ID window trim (all styles)		
10	Soft black textile with dull grey soft plastic	Black elastic pocket trim (all styles)		
11	Black net textile	Black mesh pocket (all styles)		
12	Off black textile	Black fabric zipper trim (only Item 15869) (Trade Zippered Padfolio – black style)		
14b	Silvery metal	Black metal zipper pull (only Item 15869) (Trade Zippered Padfolio – black style)		
16	Clear PVC	Clear plastic ID window (all styles)		
17	Bright black textile	Black inner lining in inside pocket (all styles)		

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 7 of 10

## **DETAILED RESULTS:**

## California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.3

Analytical Method: Gas Chromatography with Mass Spectrometry

Specimen No.		1	3	8		
Test Item	CAS No.	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Dibutyl phthalate (DBP)	84-74-2	ND	ND	ND		1000
Benzyl butyl phthalate (BBP)	85-68-7	ND	ND	ND		1000
Di-(2-ethylhexyl) phthalate (DEHP)	117-81-7	250	ND	ND		1000
Diisononyl phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND		1000
Diisodecyl phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND		1000
Di-n-hexyl phthalate (DnHP)	84-75-3	ND	ND	ND		1000
Conclusion	1	PASS	PASS	PASS		

#### Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 100 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## Remark:

The specification is quoted from client's requirement.

Specimen No. 8 (Black plastic ID window trim (all styles)) is same material as Specimen No. 3.

ANSECO GROUP (HK) LIMITED \* 3/F Liven House \* No. 61 – 63 King Yip Street \* Kwun Tong \* Kowloon \* Hong Kong \* Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

 $ANAB\ is\ recognized\ by\ ILAC,\ APLAC\ and\ IAAC\ as\ a\ signatory\ of\ multilateral\ recognition\ arrangements\ that\ facilitate\ acceptance\ of\ test\ internationally.$ 



Test Report # 16H-07496(A1) Pages: Page 8 of 10

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Black textile with black PVC backing	Charcoal polyester cover (all styles)
3	Black soft plastic with grey textile backing	Charcoal PU Leather decoration (all styles)
8	Black soft plastic with grey textile backing	Black plastic ID window trim (all styles)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 9 of 10

## **DETAILED RESULTS:**

# Canadian Toys Regulations SOR/2011-17 as Amended by SOR/2016-195, Item 23 Total Lead and Mercury in Paints and Surface Coatings

Test Method: ASTM F963-11 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14a					Total
Test Item	Result	Result	Result	Result	Result	Limit
	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND					90
Total Mercury (Hg)	ND					10
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

## **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
14a	Black coating	Black metal zipper pull (only Item 15869) (Trade Zippered Padfolio – black style)

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report # 16H-07496(A1) Pages: Page 10 of 10

## **SAMPLE PHOTO:**



-End Report-

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.