





REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 1 of 15

Xoopar Creative Technology (Shenzhen) Co., Ltd Room 1601-1611, Jin Wei Building, 4051 Jiabin Road, Luohu Area, Shenzhen

Report on the submitted samples said to be:

Sample Description : RING EARBUDS

Style/Item No. : XG31009

Sample Receiving Date : February 17, 2017

Lately Re-submit Date : March 6, 2017

Testing Period : February 17, 2017 – March 10, 2017

Result : Please refer to next page(s).

Signed for and on behalf of

BACL

Checked by:

Approved by:

May Chen Engineer Lance Lee

Lab vice-Manager

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







KE	PORT No.: R521/0215D001/E	Date: March 14, 2017	Page 2 of 15
****	***************	***************	********
Sun	nmary of Test Result:		
<u>TE</u>	ST REQUEST		CONCLUSION
Α	US Consumer Products Safety Improvement for total lead content in paint and other simila	r surface-coating	Pass
	US Consumer Products Safety Improvement for total lead content in substrate	Act of 2008(H.R. 4040) title 1, section 101(a)	Pass
В	US Consumer Products Safety Improvement requirement on phthalates content	t Act of 2008(H.R. 4040) title 1, section 108	Pass
С	US California Proposition 65. on Lead conter	ıt	Pass ^{*1}
D	US California Proposition 65. on Phthalates of	content	Pass*1
Е	US California Proposition 65. on Cadmium co	ontent	Pass ^{*1}
Pas	s*1= Meet the requirement of Client.		
****	**************	***********************************	*******

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 3 of 15

Result:

Tested part(s) (only for chemical test items):

- (1) Yellow coating (loop)
- (2) Purple coating (loop)
- (3) Orange coating (loop)
- (4) Blue coating (loop)
- (5) Red coating (loop)
- (6) Green coating (loop)
- (7) Grey coating (loop)
- (8) Black coating (zipper)
- (9) Black PU (case of box)
- (10) Black PU (joint of box)
- (11) Translucent plastic (loop & earphone)
- (12) Black plastic (case of earphone)
- (13) Transparent plastic (plate of earphone)
- (14) Black plastic (zipper teeth of box)
- (15) White plastic (big USB of data link)
- (16) Black plastic (small USB of data link)
- (17) Black soft plastic (earplug of earphone)
- (18) Black soft plastic (loop of earphone)
- (19) Black soft plastic (cap of earphone)
- (20) Black soft plastic (joint of earphone)
- (21) Black soft plastic (wire jacket of earphone)

- (22) Black elastic (thin elastic of box)
- (23) Black elastic (thick elastic of box)
- (24) Black PVC (big USB holder of data link)
- (25) Black PVC (small USB holder of data link)
- (26) Black PVC (cable jacket of data link)
- (27) Silvery metal (puller of zipper of box)
- (28) Silvery metal (slide of zipper of box)
- (29) Silvery metal (big USB case of data link)
- (30) Silvery metal (small USB case of data link)
- (31) Silvery metal(clip of small USB of data link)
- (32) Silvery metal(earphone socket)
- (33) White plastic (case of earphone)
- (34) White soft plastic (cap of earphone)
- (35) White soft plastic (joint of earphone)
- (36) White soft plastic (wire jacket of earphone)
- (37) White soft plastic (loop of earphone)
- (38) White soft plastic (earplug of earphone)
- (39) White PVC (big USB holder of data link)
- (40) White PVC (small USB holder of data link)
- (41) White PVC (cable jacket of data link)

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 4 of 15

A. US Consumer Products Safety Improvement Act of 2008(H.R. 4040) title 1, section 101 for total lead content

Total Lead Content (In paint and other similar surface-coating)

<u>Test method:</u> As per CPSC-CH-E1003-09.1, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES) or Atomic Absorption Spectrometry (AAS).

Item	Unit	MDL			Limit		
	Onit	MIDE	(1)+(2)+(3)	(4)+(5)	(6)+(7)	(8)	Lillin
Lead Content (Pb)	mg/kg	10	<10	<10	<10	14	90
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Total Lead Content (In Substrate)

<u>Test method:</u> As per CPSC-CH-E1001-08.3 / CPSC-CH-E1002-08.3, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES) or Atomic Absorption Spectrometry (AAS).

		44					
Item	Unit	MDL	(9)+(10) +(13)	(11)+(12) +(16)	(14)+(15) +(19)	(17)+(18) +(20)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	1111	MDI	>	1 1 11			
	Unit	MDL	(21)+(22) +(23)	(24)+(25) +(26)	(27)	(28)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	Pass	1

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 5 of 15

Item	Unit	MDL		Limit			
		IVIDE	(29)	(30)	(31)	(32)	Limit
Lead Content (Pb)	mg/kg	10	<10	14	14	18	100
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	Unit	MDL		Result		Limit
item	Onit	IVIDE	(33)+(34)+(35)	(36)+(37)+(38)	(39)+(40)+(41)	Lillin
Lead Content (Pb)	mg/kg	10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	1

Note:

- < = Less than

- MDL = Method Detection Limit

- "+" = Composite testing.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







REPORT No.: RSZ170215D0017E Date: March 14, 2017 Page 6 of 15

B. US Consumer Products Safety Improvement Act of 2008(H.R. 4040) title 1, section 108 requirement on phthalates content

<u>Test method:</u> As per CPSC-CH-C1001-09.3, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

				Result					
Item	Unit	MDL	(1)+(2) +(3)	(4)+(5)	(6)+(7)	(8)	(9) +(10) +(13)	Limit	
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	<30	1000	
Benzylbutyl Phthalate(BBP)	mg/kg	30	<30	<30	<30	<30	<30	1000	
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	<30	1000	
Di-n-octyl Phthalate(DNOP)	mg/kg	30	<30	<30	<30	<30	<30	1000	
Diisononyl Phthalate (DINP)	mg/kg	60	<60	<60	<60	<60	<60	1000	
Diisodecyl Phthalate(DIDP)	mg/kg	60	<60	<60	<60	<60	<60	1000	
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1	

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017E Date: March 14, 2017 Page 7 of 15

		мы					
Item	Unit	MDL	(11)+(12) +(16)	(14)+(15) +(19)	(17)+(18) +(20)	(21)+(22) +(23)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	1000
Benzylbutyl Phthalate(BBP)	mg/kg	30	<30	<30	<30	<30	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	1000
Di-n-octyl Phthalate(DNOP)	mg/kg	30	<30	<30	<30	<30	1000
Diisononyl Phthalate (DINP)	mg/kg	60	<60	<60	<60	<60	1000
Diisodecyl Phthalate(DIDP)	mg/kg	60	<60	<60	<60	<60	1000
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	Unit	MDL	(24)+(25) +(26)	(33)+(34) +(35)	(36)+(37) +(38)	(39)+(40) +(41)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	1000
Benzylbutyl Phthalate(BBP)	mg/kg	30	<30	<30	<30	<30	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	1000
Di-n-octyl Phthalate(DNOP)	mg/kg	30	<30	<30	<30	<30	1000
Diisononyl Phthalate (DINP)	mg/kg	60	<60	<60	<60	<60	1000
Diisodecyl Phthalate(DIDP)	mg/kg	60	<60	<60	<60	<60	1000
Conclusion	1	1	Pass	Pass	Pass	Pass	1

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 8 of 15

Note:

- < = Less than</p>

- MDL = Method Detection Limit

- "+" = Composite testing.

C. US California Proposition 65. on Lead content

Total Lead Content (In paint and other similar surface-coating)

<u>Test method:</u> With reference to CPSC-CH-E1003-09.1, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES) or Atomic Absorption Spectrometry (AAS).

Item	Unit MD	MDL		Client's			
	Onit	MIDE	(1)+(2)+(3)	(4)+(5)	(6)+(7)	(8)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	14	90
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Total Lead Content (In Substrate)

<u>Test method:</u> With reference to CPSC-CH-E1001-08.3/CPSC-CH-E1002-08.3,by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES) or Atomic Absorption Spectrometry (AAS).

Item	11	1451	>	Client's			
	Unit	MDL	(9)+(10) +(13)	(11)+(12) +(16)	(14)+(15) +(19)	(17)+(18) +(20)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	Pass	1

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017E Date: March 14, 2017 Page 9 of 15

Item					Client's		
	Unit	MDL	(21)+(22) +(23)	(24)+(25) +(26)	(27)	(28)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	Pass	/

Item	Unit	MDI		Res	sult		Client's
item	Onit	MDL -	(29)	(30)	(31)	(32)	Limit
Lead Content (Pb)	mg/kg	10	<10	14	14	18	100
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Itam	Unit	MDL		Result		Client's
Item	Onit	t WIDL	(33)+(34)+(35)	(36)+(37)+(38)	(39)+(40)+(41)	Limit
Lead Content (Pb)	mg/kg	10	<10	<10	<10	100
Conclusion	1	1	Pass	Pass	Pass	1

Note:

- < = Less than
- MDL = Method Detection Limit
- "+" = Composite testing.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 10 of 15

D. US California Proposition 65. on Phthalates content

<u>Test method:</u> With reference to CPSC-CH-C1001-09.3, by solvent extraction and Analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

					Client's			
ltem	Unit	MDL	(1)+(2) +(3)	(4)+(5)	(6)+(7)	(8)	(9) +(10) +(13)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	<30	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	<30	<30	<30	<30	<30	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	<30	1000
Di-n-hexyl Phthalate (DnHP)	mg/kg	30	<30	<30	<30	<30	<30	1000
Diisodecyl Phthalate (DIDP)	mg/kg	60	<60	<60	<60	<60	<60	1000
Conclusion	1	1	Pass	Pass	Pass	Pass	Pass	1

Hom	Hait	MDL			Client's		
Item	Unit		(11)+(12) +(16)	(14)+(15) +(19)	(17)+(18) +(20)	(21)+(22) +(23)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	<30	<30	<30	<30	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	1000
Di-n-hexyl Phthalate (DnHP)	mg/kg	30	<30	<30	<30	<30	1000
Diisodecyl Phthalate (DIDP)	mg/kg	60	<60	<60	<60	<60	1000
Conclusion	1	1	Pass	Pass	Pass	Pass	1

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 11 of 15

		MDI		Client's			
ltem	Unit	MDL	(24)+(25) +(26)	(33)+(34) +(35)	(36)+(37) +(38)	(39)+(40) +(41)	Limit
Dibutyl Phthalate (DBP)	mg/kg	30	<30	<30	<30	<30	1000
Benzylbutyl Phthalate (BBP)	mg/kg	30	<30	<30	<30	<30	1000
Bis-(2-ethylhexyl) Phthalate (DEHP)	mg/kg	30	<30	<30	<30	<30	1000
Di-n-hexyl Phthalate (DnHP)	mg/kg	30	<30	<30	<30	<30	1000
Diisodecyl Phthalate (DIDP)	mg/kg	60	<60	<60	<60	<60	1000
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Note:

- < = Less than

- MDL = Method Detection Limit

- "+" = Composite testing.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 12 of 15

E. US California Proposition 65. on Cadmium content

<u>Test method:</u> With reference to US EPA 3051A:2007 / EPA 3050B:1996 & EPA 6010C:2007, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES) or Atomic Absorption Spectrometry (AAS).

ltem U	Unit	MDL		Res	sult		Client's
	Onit	IVIDL	(1)+(2)+(3)	(4)+(5)	(6)+(7)	(8)	Limit
Cadmium Content (Cd)	mg/kg	10	<10	<10	<10	<10	75
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	11	MDI		Res	sult		Client's
	Unit	MDL	(9)+(10) +(13)	(11)+(12) +(16)	(14)+(15) +(19)	(17)+(18) +(20)	Limit
Cadmium Content (Cd)	mg/kg	10	<10	<10	<10	<10	75
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	Unit	MDI		Res	sult		Client's
	Unit	MDL	(21)+(22) +(23)	(24)+(25) +(26)	(27)	(28)	Limit
Cadmium Content (Cd)	mg/kg	10	<10	<10	<10	<10	75
Conclusion	1	1	Pass	Pass	Pass	Pass	1

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 13 of 15

Item	l lmit	MDI		Res	sult		Client's
	Unit	Unit MDL	(29)	(30)	(31)	(32)	Limit
Cadmium Content (Cd)	mg/kg	10	<10	<10	<10	<10	75
Conclusion	1	1	Pass	Pass	Pass	Pass	1

Item	Unit	MDL		Result		Client's
	Offic	IVIDL	(33)+(34)+(35)	(36)+(37)+(38)	(39)+(40)+(41)	Limit
Cadmium Content (Cd)	mg/kg	10	<10	<10	<10	75
Conclusion	1	1	Pass	Pass	Pass	1

Note:

- < = Less than
- MDL = Method Detection Limit
- "+" = Composite testing.
- Photo appendix is included.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 14 of 15

Appendix

Photograph of Sample



This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)







REPORT No.: RSZ170215D0017EDate: March 14, 2017

Page 15 of 15

Photograph of Sample



BACL authenticate the photo on original report only

*** End of Report ***

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This Test Report is issued by the Company subject to its Conditions of Issuance of Test Report printed overleaf or attached. The Result shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30days only. This Test Report shall not be reproduced expected in full, without written approval of the Company.

Bay Area Compliance Laboratories Corp. (Shenzhen)