

**IMPROVED CERTIFICATIONS
SEARCH TOOL. REGISTER NOW!****LEARN MORE****BBCV2.MH49593
Lithium Batteries - Component**If you notice a change to your BBCV2 Listing Card, click [here](#) to learn more.[Page Bottom](#)**Lithium Batteries - Component**[See General Information for Lithium Batteries - Component](#)**CHONGQING VDL ELECTRONICS CO LTD**

MH49593

ZHAOJIA INDUSTRIAL PARK

KAI COUNTRY

405400 CHONGQING, CHINA

Model No.	Secondary Type ^[d]	Max Charging Current (Ic), mA	Max Charging Voltage, V dc ^[e]	Test Compliance ^[f]
"3.7".				
501143	Lithium ion (Pouch)	210	4.2	1
"3.8".				
321021	Lithium ion (Pouch)	46	4.35	1
331019	Lithium ion (Pouch)	40	4.35	1
351123	Lithium ion (Pouch)	77	4.35	1
"802030	Lithium ion (Pouch)	420	4.25	1
08120	Lithium ion (Cylindrical)	60	4.2	1
081620	Lithium ion (Pouch)	170	4.35	1
10100	Lithium ion (Pouch)	60	4.35	1
10100-60	Lithium ion (Pouch)	60	4.2	1
10120	Lithium ion (Pouch)	75	4.35	1
10120A	Lithium ion (Pouch)	90	4.2	1
10140	Lithium ion (cylindrical)	85	4.35	1
10150	Lithium ion (Pouch)	105	4.35	1
102427	Lithium ion (Pouch)	700	4.25	1
102535	Lithium ion (Pouch)	800	4.35	1
103450	Lithium ion (Pouch)	1800	4.23	1
106088	Lithium ion (pouch)	1500	4.35	1
12130	Lithium ion (Pouch)	95	4.35	1
1254	Lithium ion (Coin)	55	4.2	1
15350	Lithium ion (Pouch)	680	4.2	1
25110110	Lithium ion (Pouch)	1650	4.35	2

261318	Lithium ion (Pouch)	38	4.25	1
271221	Lithium ion (Pouch)	55	4.35	1
2774129	Lithium ion (Pouch)	1500	4.35	2
2774140	Lithium ion (Pouch)	1500	4.35	2
280809	Lithium ion (pouch)	7	4.35	1
281426	Lithium ion (Pouch)	100	4.35	1
283452	Lithium ion (Pouch)	380	4.35	1
2868145	Lithium ion (Pouch)	3000	4.23	1
301058	Lithium ion (Pouch)	145	4.25	1
301224	Lithium ion (Pouch)	60	4.35	1
301319	Lithium ion (pouch)	45	4.35	1
301645	Lithium ion (Pouch)	200	4.23	1
302030	Lithium ion (Pouch)	130	4.35	1
303032	Lithium ion (Pouch)	125	4.35	2
303040	Lithium ion (Pouch)	300	4.35	1
3035110	Lithium ion (Pouch)	500	4.35	2
3050150	Lithium ion (Pouch)	2700	4.23	1
306575	Lithium ion (Pouch)	1500	4.23	1
3070110	Lithium ion (Pouch)	2600	4.23	1
3072108	Lithium ion (Pouch)	1350	4.35	1
3090140	Lithium ion (Pouch)	2000	4.35	1
32136145	Lithium ion (Pouch)	1500	4.23	1
322070	Lithium ion (Pouch)	450	4.35	1
3270100	Lithium ion (Pouch)	2650	4.23	1
342023	Lithium ion (Pouch)	140	4.2	1
350820	Lithium ion (Pouch)	35	4.35	1
350926	Lithium ion (Pouch)	55	4.23	1
351023	Lithium ion (Pouch)	45	4.23	1
35110135	Lithium ion (Pouch)	1500	4.23	1
351232	Lithium ion (Pouch)	90	4.35	1
352538	Lithium ion (Pouch)	290	4.23	1
352538-350	Lithium ion (Pouch)	297.5	4.25	1
355496	Lithium ion (Pouch)	2400	4.35	1
3555115	Lithium ion (Pouch)	2350	4.23	1
355590	Lithium ion (Pouch)	1700	4.23	1
356393	Lithium ion (Pouch)	2200	4.23	1
357093	Lithium ion (Pouch)	2500	4.23	1
357098	Lithium ion (Pouch)	2500	4.23	1
357585	Lithium ion (Pouch)	2400	4.23	1
357595	Lithium ion (Pouch)	2800	4.23	1
357595PL	Lithium ion (Pouch)	2800	4.23	1
357685	Lithium ion (Pouch)	2500	4.23	1

3595125	Lithium ion (Pouch)	2250	4.23	1
361030	Lithium ion (pouch)	90	4.35	1
361220	Lithium ion (Pouch)	50	4.35	1
3690100	Lithium ion (Pouch)	1900	4.23	1
3773100	Lithium ion (Pouch)	3000	4.23	1
380819	Lithium ion (Pouch)	33	4.35	1
380830	Lithium ion (Pouch)	60	4.35	1
381225	Lithium ion (Pouch)	80	4.23	1
400838	Lithium ion (Pouch)	80	4.2	1
400928	Lithium ion (Pouch)	70	4.2	1
400942	Lithium ion (pouch)	125	4.35	1
40100140	Lithium ion (Pouch)	3000	4.35	2
401022	Lithium ion (Pouch)	27.5	4.35	1
401027	Lithium ion (Pouch)	65	4.23	1
401030	Lithium ion (Pouch)	80	4.23	1
401120	Lithium ion (Pouch)	60	4.23	1
401527	Lithium ion (Pouch)	140	4.35	1
401623	Lithium ion (Pouch)	100	4.35	1
401633	Lithium ion (pouch)	180	4.35	1
401730	Lithium ion (Pouch)	160	4.35	1
402030	Lithium ion (Pouch)	240	4.23	1
402030-220	Lithium ion (Pouch)	220	4.25	1
402035	Lithium ion (Pouch)	230	4.23	1
403030	Lithium ion (Pouch)	360	4.35	1
403040	Lithium ion (Pouch)	410	4.35	1
403839	Lithium ion (Pouch)	600	4.25	1
411129	Lithium ion (Pouch)	125	4.35	1
420919	Lithium ion (pouch)	45	4.35	1
421038	Lithium ion (Pouch)	150	4.35	1
421225	Lithium ion (Pouch)	90	4.23	1
422025	Lithium ion (Pouch)	72.5	4.35	2
431230	Lithium ion (Pouch)	125	4.35	1
432535	Lithium ion (pouch)	350	4.35	1
436285	Lithium ion (Pouch)	2400	4.23	1
451225	Lithium ion (Pouch)	90	4.35	1
451430	Lithium ion (Pouch)	150	4.35	1
451435	Lithium ion (Pouch)	190	4.35	1
451719	Lithium ion (Pouch)	80	4.35	1
452447	Lithium ion (Pouch)	380	4.23	1
452525	Lithium ion (Pouch)	230	4.35	1
452535	Lithium ion (Pouch)	300	4.35	1
4574108	Lithium ion (Pouch)	4300	4.23	1

458097	Lithium ion (Pouch)	4000	4.23	1
460942	Lithium ion (Pouch)	160	4.35	1
461130	Lithium ion (pouch)	90	4.35	1
464145	Lithium ion (Pouch)	1000	4.23	1
481221	Lithium ion (Pouch)	80	4.23	1
481623	Lithium ion (Pouch)	120	4.35	1
484171	Lithium ion (Pouch)	1500	4.23	1
491539	Lithium ion (Pouch)	218	4.2	1
500830	Lithium ion (Pouch)	80	4.25	1
500834	Lithium ion (Pouch)	100	4.25	1
500838	Lithium ion (Pouch)	140	4.25	1
501020	Lithium ion (Pouch)	55	4.35	1
501023	Lithium ion (Pouch)	75	4.35	1
501028	Lithium ion (Pouch)	100	4.35	1
501115	Lithium ion (Pouch)	55	4.25	1
501221	Lithium ion (Pouch)	80	4.23	1
501224	Lithium ion (Pouch)	125	4.25	1
501225	Lithium ion (Pouch)	90	4.35	1
501234	Lithium ion (Pouch)	182	4.2	1
501235	Lithium ion (Pouch)	150	4.35	1
501730	Lithium ion (Pouch)	180	4.35	1
502030	Lithium ion (Pouch)	240	4.23	1
502030-260	Lithium ion (pouch)	260	4.35	1
502035	Lithium ion (Pouch)	300	4.25	1
502631	Lithium ion (pouch)	360	4.35	1
503035	Lithium ion (Pouch)	500	4.35	1
5058120	Lithium ion (Pouch)	4100	4.23	2
531254	Lithium ion (Pouch)	340	4.2	1
532025	Lithium ion (pouch)	220	4.35	1
532041	Lithium ion (pouch)	450	4.35	1
541621	Lithium ion (Pouch)	140	4.25	1
551017	Lithium ion (Pouch)	45	4.35	1
551020	Lithium ion (Pouch)	60	4.35	1
551141	Lithium ion (Pouch)	220	4.35	1
551213	Lithium ion (Pouch)	48	4.25	1
551222	Lithium ion (pouch)	100	4.35	1
551419	Lithium ion (Pouch)	100	4.35	1
551430	Lithium ion (pouch)	180	4.35	1
552240	Lithium ion (pouch)	400	4.35	1
552535	Lithium ion (Pouch)	430	4.23	1
553048	Lithium ion (Pouch)	800	4.35	1

553450	Lithium ion (Pouch)	1000	4.23	1
553450-1100	Lithium ion (Pouch)	1100	4.25	1
553696	Lithium ion (Pouch)	1900	4.23	1
562438	Lithium ion (Pouch)	400	4.23	1
562438PL	Lithium ion (Pouch)	400	4.23	1
573347	Lithium ion (Pouch)	1100	4.25	1
582030	Lithium ion (Pouch)	310	4.35	1
583040	Lithium ion (Pouch)	600	4.35	1
583230	Lithium ion (Pouch)	580	4.2	1
601115	Lithium ion (pouch)	60	4.35	1
601218	Lithium ion (pouch)	100	4.35	1
601235	Lithium ion (pouch)	200	4.35	1
601818	Lithium ion (Pouch)	130	4.23	1
602025	Lithium ion (pouch)	250	4.35	1
602028	Lithium ion (pouch)	300	4.35	1
602035	Lithium ion (Pouch)	350	4.25	1
602045	Lithium ion (Pouch)	545	4.23	1
602080	Lithium ion (Pouch)	950	4.35	1
602530	Lithium ion (Pouch)	450	4.2	1
602680	Lithium ion (Pouch)	900	4.23	1
602690	Lithium ion (Pouch)	1450	4.23	1
602730	Lithium ion (pouch)	360	4.35	1
603030	Lithium ion (Pouch)	520	4.35	1
603030-400	Lithium ion (Pouch)	400	4.35	1
603038	Lithium ion (Pouch)	350	4.35	2
603040	Lithium ion (Pouch)	680	4.2	1
603048	Lithium ion (Pouch)	450	4.35	2
604050	Lithium ion (Pouch)	1000	4.23	1
604570	Lithium ion (Pouch)	1800	4.35	1
605585	Lithium ion (Pouch)	1600	4.35	2
605590	Lithium ion (Pouch)	3600	4.35	1
606090	Lithium ion (Pouch)	4000	4.23	1
606090PL	Lithium ion (Pouch)	4000	4.23	1
642442	Lithium ion (Pouch)	500	4.35	1
655085	Lithium ion (Pouch)	3000	4.23	1
682134	Lithium ion (Pouch)	500	4.4	1
682670	Lithium ion (Pouch)	1000	4.23	1
682723	Lithium ion (Pouch)	820	4.35	1
703649	Lithium ion (pouch)	600	4.35	1
71330	Lithium ion (Cylindrical)	120	4.25	1
733652	Lithium ion (Pouch)	1500	4.23	2
75370	Lithium ion (Cylindrical)	130	4.2	1

75370A	Lithium ion (Pouch)	137	4.2	1
75370Q	Lithium ion (Pouch)	115	4.2	1
756191	Lithium ion (Pouch)	3000	4.25	1
762240	Lithium ion (Pouch)	740	4.25	1
77370	Lithium ion (Pouch)	185	4.2	1
802540	Lithium ion (Pouch)	800	4.2	1
803448	Lithium ion (Pouch)	1500	4.35	1
805584	Lithium ion (Pouch)	5000	4.23	1
845572	Lithium ion (Pouch)	2000	4.23	1
853458	Lithium ion (Pouch)	875	4.35	2
873535	Lithium ion (pouch)	1300	4.35	1
902030	Lithium ion (Pouch)	460	4.25	1
902532	Lithium ion (Pouch)	720	4.25	1
904084	Lithium ion (pouch)	1700	4.35	1
907494	Lithium ion (Pouch)	4000	4.35	2
924965	Lithium ion (Pouch)	4200	4.35	1
95100	Lithium ion (Cylindrical)	60	4.2	1
95100E	Lithium ion (Pouch)	55	4.2	1
952246	Lithium ion (Pouch)	1000	4.25	1
953132	Lithium ion (Pouch)	1080	4.2	1
954046	Lithium ion (Pouch)	2200	4.35	1
954048	Lithium ion (Pouch)	2000	4.23	1
955075	Lithium ion (Pouch)	4000	4.23	1
963870	Lithium ion (Pouch)	3000	4.23	2
ZJ1054	Lithium ion (Coin)	35	4.2	1
ZJ1238	Lithium ion (Coin)	35	4.2	1
ZJ1254	Lithium ion (Coin)	55	4.2	1
ZJ1254C	Lithium ion (Coin)	110	4.2	1
ZJ1254D	Lithium ion (Coin)	60	4.2	1
ZJ1454A	Lithium ion (Coin)	85	4.2	1
ZJ1454C	Lithium ion (Coin)	170	4.2	1
ZJ1644C	Lithium ion (Coin)	180	4.2	1
ZJ1654	Lithium ion (Coin)	115	4.2	1
ZJ1654A	Lithium ion (Coin)	120	4.2	1
ZJ1654C	Lithium ion (Coin)	240	4.2	1

[d] These cells and batteries are rechargeable. The circuitry containing these cells or batteries is to contain protective components intended to protect the cells or batteries from currents in excess of the maximum charging current and voltage indicated.

[e] The Max Charging Voltage noted in the column is the maximum voltage employed during the abnormal charging test of the secondary lithium ion cell. However, the maximum recommended charging voltage for lithium ion cells is 4.2 V, unless indicated otherwise.

[f] Test Compliance - The cells comply with the tests in UL 1642 as noted:

- 1 - Complies with all single-cell tests
- 2 - Complies with all single-cell tests except the impact test
- 3 - Complies with all single-cell tests except the projectile test

4 - Complies with all single-cell tests except the crush test

Marking: Company name, Recognized Component Mark,  on the cell or smallest shipping package containing the cell.
Last Updated on 2018-08-14

[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".