



BBCV2.MH49375 - LITHIUM BATTERIES - COMPONENT

Lithium Batteries - Component

See General Information for Lithium Batteries - Component

SHENZHEN GRAND POWERSOURCE GROUP CO LTD

MH49375

Floor 1/7/8, Building C
Yongjianhong Sci-Tech. Park, No.99, Yanshan
Shenzhen, Guangdong 518105 CHINA

Model No.	Secondary Type ^[d]	Max Charging Current (I _c), mA	Max Charging Voltage, V dc ^[e]	Test Compliance ^[f]
GPC103361	Lithium ion (Pouch)	2500	4.25	1
GPC104242	Lithium ion (Pouch)	2000	4.2	1
GPC104453	Lithium ion (Pouch)	1650	4.35	1
GPC104554	Lithium ion (Pouch)	3000	4.2	1
GPC1054126	Lithium ion (Pouch)	8000	4.25	1
GPC105469	Lithium ion (Pouch)	5000	4.25	1
GPC1055110	Lithium ion (Pouch)	5000	4.25	1
GPC1055125	Lithium ion (Pouch)	8000	4.25	1
GPC105568	Lithium ion (Pouch)	5000	4.2	1
GPC105570	Lithium ion (Pouch)	15000	4.2	1
GPC1059103	Lithium ion (Pouch)	8000	4.35	1
GPC106168	Lithium ion (Pouch)	15000	4.2	1
GPC106373	Lithium ion (Pouch)	3000	4.2	1
GPC1155110	Lithium ion (Pouch)	24000	4.2	1
GPC1160100	Lithium ion (Pouch)	8000	4.25	1
GPC1165110	Lithium ion (Pouch)	8000	4.2	1
GPC1165115	Lithium ion (Pouch)	30000	4.2	1

GPC125054	Lithium ion (Pouch)	12000	4.2	1
GPC1260110	Lithium ion (Pouch)	24000	4.2	1
GPC1260115	Lithium ion (Pouch)	30000	4.2	1
GPC26110158	Lithium ion (Pouch)	5500	4.2	1
GPC2662141	Lithium ion (Pouch)	3000	4.2	1
GPC2665160	Lithium ion (Pouch)	3500	4.2	1
GPC2677179	Lithium ion (Pouch)	4800	4.2	1
GPC27110160	Lithium ion (Pouch)	6000	4.2	1
GPC28100150	Lithium ion (Pouch)	2100	4.2	1
GPC2862143	Lithium ion (Pouch)	3600	4.35	1
GPC293996	Lithium ion (Pouch)	1715	4.35	1
GPC2949119	Lithium ion (Pouch)	2750	4.35	1
GPC2957137	Lithium ion (Pouch)	1300	4.2	1
GPC3070100	Lithium ion (Pouch)	1250	4.2	1
GPC3070160	Lithium ion (Pouch)	2000	4.2	1
GPC3077120	Lithium ion (Pouch)	1750	4.2	1
GPC309298	Lithium ion (Pouch)	3000	4.2	1
GPC3093113	Lithium ion (Pouch)	4000	4.2	1
GPC3098120	Lithium ion (Pouch)	2000	4.2	1
GPC3164165	Lithium ion (Pouch)	4600	4.2	1
GPC3165141	Lithium ion (Pouch)	4040	4.2	1
GPC3256118	Lithium ion (Pouch)	2500	4.2	1
GPC3265170	Lithium ion (Pouch)	5000	4.2	1
GPC326590	Lithium ion (Pouch)	750	4.2	1
GPC3270105	Lithium ion (Pouch)	3000	4.2	1
GPC3270147	Lithium ion (Pouch)	2000	4.2	1
GPC327090	Lithium ion (Pouch)	1300	4.2	1
GPC3275105	Lithium ion (Pouch)	1700	4.2	1
GPC328290	Lithium ion (Pouch)	1500	4.2	1

GPC333993	Lithium ion (Pouch)	1960	4.35	1
GPC333996	Lithium ion (Pouch)	1810	4.35	1
GPC3349109	Lithium ion (Pouch)	2910	4.35	1
GPC3349119	Lithium ion (Pouch)	2910	4.35	1
GPC343475	Lithium ion (Pouch)	1100	4.2	1
GPC3450175	Lithium ion (Pouch)	4000	4.2	1
GPC3498100	Lithium ion (Pouch)	2000	4.2	1
GPC355481	Lithium ion (Pouch)	1850	4.2	1
GPC355590	Lithium ion (Pouch)	2500	4.35	1
GPC3570100	Lithium ion (Pouch)	1400	4.2	1
GPC3570140	Lithium ion (Pouch)	2100	4.2	1
GPC357095	Lithium ion (Pouch)	1500	4.2	1
GPC357292	Lithium ion (Pouch)	1250	4.2	1
GPC3595110	Lithium ion (Pouch)	2100	4.2	1
GPC363291	Lithium ion (Pouch)	1440	4.35	1
GPC363491	Lithium ion (Pouch)	1560	4.35	1
GPC365097	Lithium ion (Pouch)	2100	4.2	1
GPC3766110	Lithium ion (Pouch)	3600	4.2	1
GPC3766125	Lithium ion (Pouch)	2000	4.2	1
GPC377292	Lithium ion (Pouch)	1400	4.2	1
GPC3782128	Lithium ion (Pouch)	4200	4.2	1
GPC38102155	Lithium ion (Pouch)	6600	4.2	1
GPC3866101	Lithium ion (Pouch)	3350	4.2	1
GPC3895130	Lithium ion (Pouch)	5600	4.2	1
GPC3965184	Lithium ion (Pouch)	5600	4.2	1
GPC403170	Lithium ion (Pouch)	600	4.2	1
GPC4045125	Lithium ion (Pouch)	3000	4.25	1
GPC405590	Lithium ion (Pouch)	2500	4.2	1
GPC4059113	Lithium ion (Pouch)	3500	4.2	1

GPC4152105	Lithium ion (Pouch)	3000	4.2	1
GPC425696	Lithium ion (Pouch)	1350	4.2	1
GPC4270125	Lithium ion (Pouch)	5000	4.2	1
GPC429088	Lithium ion (Pouch)	4400	4.2	1
GPC4460125	Lithium ion (Pouch)	2000	4.2	1
GPC453050	Lithium ion (Pouch)	750	4.2	1
GPC454582	Lithium ion (Pouch)	1000	4.2	1
GPC454770	Lithium ion (Pouch)	2000	4.2	1
GPC4548123	Lithium ion (Pouch)	3800	4.2	1
GPC455075	Lithium ion (Pouch)	1000	4.2	1
GPC455581	Lithium ion (Pouch)	1400	4.35	1
GPC455680	Lithium ion (Pouch)	1200	4.2	1
GPC4672105	Lithium ion (Pouch)	4500	4.2	1
GPC477775	Lithium ion (Pouch)	3600	4.2	1
GPC4780135	Lithium ion (Pouch)	7500	4.35	1
GPC485097	Lithium ion (Pouch)	2800	4.2	1
GPC485570	Lithium ion (Pouch)	2200	4.2	1
GPC486597	Lithium ion (Pouch)	4000	4.2	1
GPC496687	Lithium ion (Pouch)	3650	4.2	1
GPC4973120	Lithium ion (Pouch)	5100	4.2	1
GPC5054126	Lithium ion (Pouch)	15000	4.2	1
GPC505573	Lithium ion (Pouch)	1250	4.2	1
GPC506090	Lithium ion (Pouch)	3600	4.25	1
GPC507097	Lithium ion (Pouch)	2100	4.2	1
GPC508295	Lithium ion (Pouch)	5800	4.35	1
GPC5084110	Lithium ion (Pouch)	6000	4.2	1
GPC524280	Lithium ion (Pouch)	2000	4.23	1
GPC5257102	Lithium ion (Pouch)	4000	4.2	1
GPC5266104	Lithium ion (Pouch)	2500	4.2	1

GPC545288	Lithium ion (Pouch)	3000	4.2	1
GPC5484110	Lithium ion (Pouch)	7000	4.2	1
GPC554157	Lithium ion (Pouch)	1500	4.2	1
GPC554582	Lithium ion (Pouch)	1250	4.2	1
GPC555077	Lithium ion (Pouch)	1275	4.2	1
GPC556085	Lithium ion (Pouch)	3500	4.2	1
GPC5565110	Lithium ion (Pouch)	5000	4.2	1
GPC5663105	Lithium ion (Pouch)	5000	4.2	1
GPC5758102	Lithium ion (Pouch)	5000	4.2	1
GPC584155	Lithium ion (Pouch)	1600	4.2	1
GPC585890	Lithium ion (Pouch)	12600	4.35	1
GPC586095	Lithium ion (Pouch)	2000	4.2	1
GPC587795	Lithium ion (Pouch)	5800	4.2	1
GPC6030113	Lithium ion (Pouch)	2650	4.2	1
GPC6030127	Lithium ion (Pouch)	3000	4.35	1
GPC604875	Lithium ion (Pouch)	2600	4.25	1
GPC605050	Lithium ion (Pouch)	1500	4.2	1
GPC6058133	Lithium ion (Pouch)	20100	4.2	1
GPC606090	Lithium ion (Pouch)	2000	4.2	1
GPC6066121	Lithium ion (Pouch)	5000	4.2	1
GPC6072111	Lithium ion (Pouch)	7800	4.35	1
GPC6082101	Lithium ion (Pouch)	7800	4.35	1
GPC616093	Lithium ion (Pouch)	2500	4.35	1
GPC626090	Lithium ion (Pouch)	5000	4.35	1
GPC626196	Lithium ion (Pouch)	5000	4.2	1
GPC6265110	Lithium ion (Pouch)	5000	4.2	1
GPC646295	Lithium ion (Pouch)	5000	4.2	1
GPC695268	Lithium ion (Pouch)	3000	4.2	1
GPC7050107	Lithium ion (Pouch)	5000	4.2	1

GPC705075	Lithium ion (Pouch)	3000	4.2	1
GPC7060100	Lithium ion (Pouch)	5000	4.2	1
GPC706176	Lithium ion (Pouch)	2000	4.2	1
GPC724697	Lithium ion (Pouch)	4000	4.2	1
GPC725260	Lithium ion (Pouch)	3000	4.35	1
GPC726385	Lithium ion (Pouch)	5800	4.35	1
GPC733653	Lithium ion (Pouch)	750	4.2	1
GPC734085	Lithium ion (Pouch)	1450	4.2	1
GPC736090	Lithium ion (Pouch)	2500	4.2	1
GPC753398	Lithium ion (Pouch)	3350	4.35	1
GPC755590	Lithium ion (Pouch)	5000	4.25	1
GPC7565110	Lithium ion (Pouch)	5000	4.25	1
GPC783285	Lithium ion (Pouch)	2000	4.2	1
GPC8040140	Lithium ion (Pouch)	5000	4.25	1
GPC8042126	Lithium ion (Pouch)	3700	4.2	1
GPC804695	Lithium ion (Pouch)	5000	4.35	1
GPC8047105	Lithium ion (Pouch)	5000	4.2	1
GPC805080	Lithium ion (Pouch)	2000	4.2	1
GPC805568	Lithium ion (Pouch)	2000	4.2	1
GPC806090	Lithium ion (Pouch)	2500	4.2	1
GPC8062101	Lithium ion (Pouch)	7800	4.35	1
GPC806285	Lithium ion (Pouch)	6000	4.35	1
GPC806790	Lithium ion (Pouch)	3000	4.2	1
GPC8347113	Lithium ion (Pouch)	15000	4.2	1
GPC842754	Lithium ion (Pouch)	750	4.2	1
GPC875465	Lithium ion (Pouch)	4000	4.2	1
GPC884975	Lithium ion (Pouch)	2000	4.2	1
GPC8870129	Lithium ion (Pouch)	10000	4.2	1
GPC906090	Lithium ion (Pouch)	6000	4.25	1

GPC9066115	Lithium ion (Pouch)	8000	4.25	1
GPC906876	Lithium ion (Pouch)	6000	4.2	1
GPC925167	Lithium ion (Pouch)	12000	4.2	1
GPC925593	Lithium ion (Pouch)	6000	4.2	1
GPC9355129	Lithium ion (Pouch)	8000	4.35	1
GPC935568	Lithium ion (Pouch)	5000	4.35	1
GPC9373129	Lithium ion (Pouch)	30000	4.2	1
GPC946371	Lithium ion (Pouch)	5300	4.2	1
GPC955565	Lithium ion (Pouch)	5000	4.2	1
GPC9565105	Lithium ion (Pouch)	8000	4.35	1
GPC966786	Lithium ion (Pouch)	7000	4.2	1
GPC966871	Lithium ion (Pouch)	5000	4.2	1
GPC9855110	Lithium ion (Pouch)	8000	4.4	1
GPC9858102	Lithium ion (Pouch)	8000	4.4	1
GPC9865110	Lithium ion (Pouch)	24000	4.2	1
GPC9960115	Lithium ion (Pouch)	8000	4.2	1

[d] These cells and batteries are rechargeable. The circuitry containing these cells or batteries is to contain protective components intended to protect the cells or batteries from currents in excess of the maximum charging current and voltage indicated.

[e] The Max Charging Voltage noted in the column is the maximum voltage employed during the abnormal charging test of the secondary lithium ion cell. However, the maximum recommended charging voltage for lithium ion cells is 4.2 V, unless indicated otherwise.

[f] Test Compliance - The cells comply with the tests in UL 1642 as noted:

1 - Complies with all single-cell tests

2 - Complies with all single-cell tests except the impact test

3 - Complies with all single-cell tests except the projectile test

4 - Complies with all single-cell tests except the crush test

Marking: Company name, Recognized Component Mark,  on the cell or smallest shipping package containing the cell.

Last Updated on 2019-09-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"