

SAFETY DATA SHEET

HEALTHCARE BEYOND BURN CARE™

This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 08-Mar-2019 Revision Date 02-Jan-2020 Revision Number 1.1

1. Identification

Product identifier

Product Name Hand Sanitizer

Other means of identification

Product Code(s) 910042.00.006

UN/ID no UN1170

Synonyms Instant Hand Sanitizer Antiseptic Gel with Vitamin E & Aloe

Recommended use of the chemical and restrictions on use

Recommended use Hand sanitizer

Restrictions on use For external use only.

Details of the supplier of the safety data sheet

Manufacturer Address

WaterJel ® Technologies 50 Broad Street Carlstadt, NJ 07072 P: 201-507-8300

Emergency telephone number

Emergency Telephone 800-275-3433 (8:00 am-5:00 pm EST Weekdays)

2. Hazard(s) identification

Classification

Flammable liquids Category 2

Label elements

Danger

Hazard statements

Highly flammable liquid and vapor



Precautionary Statements - Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection.

Precautionary Statements - Response

Ski

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

Fire

In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage Store in a well-ventilated place. Keep cool Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Synonyms

Instant Hand Sanitizer Antiseptic Gel with Vitamin E & Aloe.

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Ethyl alcohol	64-17-5	45-70	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Do not rub affected area.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the material(s)

involved, take precautions to protect themselves and prevent spread of contamination. Use

personal protective equipment as required. See section 8 for more information.

Most important symptoms and effects, both acute and delayed

Symptoms May cause redness and tearing of the eyes. May cause skin irritation in susceptible

persons.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge Yes.

Special protective equipment for

fire-fighters

Personal precautions

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the

product must be grounded. Do not touch or walk through spilled material.

Other information Ventilate the area.

Methods and material for containment and cleaning up

Methods for containment Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor

suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other

non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Use personal protection equipment. Avoid contact with skin and eyes. Avoid breathing

vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with

sprinklers. Use according to package label instructions.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national

regulations. Store in accordance with local regulations.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Ethyl alcohol	STEL: 1000 ppr	n	TWA: 1	000 ppm		IDLH: 3300 ppm
64-17-5			TWA: 19	900 mg/m ³		TWA: 1000 ppm
			(vacated) TV	VA: 1000 ppm	-	TWA: 1900 mg/m ³
			(vacated) TW	'A: 1900 mg/m ³		_
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Ethyl alcohol	TWA: 1000 ppm	STEI	_: 1000 ppm	STEL: 1000	opm	TWA: 1000 ppm
64-17-5	TWA: 1880 mg/m ³		•			TWA: 1880 mg/m ³

Appropriate engineering controls

Engineering controls

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Hand protection Wear suitable gloves. Impervious gloves.

Skin and body protection Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Antistatic boots.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should not

be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is

recommended. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Translucent liquid **Appearance**

Physical state Liquid

Clear to semi-clear Color Odor Characteristic

Odor threshold No information available

Property Values

6.9 - 7.3 @ 25 °C pН Melting point / freezing point No data available None known Boiling point / boiling range 79.4 °C / 174.9 °F

22.2 °C 72 °F Flash point CC (closed cup) **Evaporation rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available No data available Vapor density 0.87 - 0.91 Relative density Soluble in water Water solubility Solubility(ies) No data available Partition coefficient No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available

Other information

Explosive properties Oxidizing properties Softening point Molecular weight **VOC Content (%) Liquid Density Bulk density**

No information available. No information available. No information available No information available No information available No information available No information available

Remarks • Method

None known

None known None known @25°C

None known None known None known None known None known None known

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available. Vapors may be irritating to

eyes, nose, throat, and lungs.

Eye contact Specific test data for the substance or mixture is not available. May cause redness, itching,

and pain.

Skin contact Specific test data for the substance or mixture is not available. May cause irritation.

Ingestion Specific test data for the substance or mixture is not available. May cause gastrointestinal

discomfort if consumed in large amounts.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause redness and tearing of the eyes. May cause skin irritation in susceptible

persons.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 10,844.90 mg/kg ATEmix (inhalation-dust/mist) 191.60 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethyl alcohol	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation May cause mild to moderate irritation.

Serious eye damage/eye irritation May cause mild to moderate irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol	A3	Group 1	Known	X
64-17-5				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Target organ effects liver, Respiratory system, Eyes, Skin, Central nervous system, blood, Reproductive System.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Ethyl alcohol	-	LC50: 12.0 - 16.0mL/L	-	LC50: 9268 -
64-17-5		(96h, Oncorhynchus	• ()	14221mg/L (48h,
		mykiss) LC50: 13400 -		Daphnia magna) EC50:
		15100mg/L (96h,		=2mg/L (48h, Daphnia
		Pimephales promelas)		magna)
		LC50: >100mg/L (96h,		
		Pimephales promelas)		

Persistence and degradability No information available.

Bioaccumulation There is no data for this product.

Component Information

Chemical name	Partition coefficient
Ethyl alcohol	-0.32
64-17-5	

Mobility in soil

No information available.

Mobility

No information available.

Other adverse effects

No information available.

13. Disposal considerations

Waste treatment methods

Waste from residues/unused

products

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld

containers.

US EPA Waste Number D001.

California Hazardous Waste Status This product contains one or more substances that are listed with the State of California as

a hazardous waste.

Chemical name	California Hazardous Waste Status
Ethyl alcohol	Toxic

64-17-5	Ignitable

14. Transport information

DOT

UN/ID no UN1170

Proper shipping name **ETHANOL SOLUTION**

Hazard class Packing group Special Provisions

24, IB2, T4, TP1

Description UN1170, ETHANOL SOLUTION, 3, II

Emergency Response Guide 127

Number

TDG

UN/ID no UN1170

Proper shipping name **ETHANOL SOLUTION**

Hazard class 3 **Packing group** Ш **Special Provisions** 150

UN1170, ETHANOL SOLUTION, 3, II Description

MEX

UN/ID no UN1170

Proper shipping name **ETHANOL SOLUTION**

Hazard class 3 **Special Provisions** 144 Packing group

UN1170, ETHANOL SOLUTION, 3, II Description

IATA

UN number UN1170 **UN** proper shipping name Ethanol solution

Transport hazard class(es) 3 Packing group II **ERG Code** 3L

Special Provisions A180, A3, A58

UN1170, Ethanol solution, 3, II Description

Not regulated **IMDG UN** number UN1170

ETHANOL SOLUTION UN proper shipping name

Transport hazard class(es) 3 Packing group Ш F-E, S-D **EmS-No Special Provisions**

UN1170, ETHANOL SOLUTION, 3, II, (22.2°C C.C.) Description

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

TSCA DSL/NDSLContact supplier for inventory compliance status.

Contact supplier for inventory compliance status.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

U.S. State Right-to-Know Regulations

US State Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethyl alcohol 64-17-5	Х	Х	Х
Propane-1,2-diol 57-55-6	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 1 Flammability 3 Instability 0 Physical and chemical properties -

HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)
EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 08-Mar-2019

Revision Date 02-Jan-2020

Revision Note SDS sections updated: 14

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet