

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 1 of 10
Date Received: March 11, 2016

SAMPLE INFORMATION:

Description:	The Deluxe Chair	Purchase Order Number:	6009
Assortment:	-	Country of Origin:	China
Item No.:	45388	Labeled Age Grade:	-
Country of Distribution:	United States, Canada	Recommended Age Grade:	-
Sample Submitted:	3 pcs per style	Tested Age Grade:	-
Testing Period:	03/11/2016 – 03/17/2016		

OVERALL RESULT:

PASS

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings
PASS	California Proposition 65, Total Lead in Paints & Surface Coatings
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Canadian Toys Regulations (SOR/2011-17) Item 23, Total Lead and Mercury in Surface Coating Materials

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit
Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 2 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulations. [Referenced Test Method: CPSC-CH-E-1003-09.1]

Specimen No.	5a	17a	---	---	---	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	16	---	---	---	90
Conclusion	PASS	PASS	---	---	---	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
5a	Grey coating	Grey metal legs (all styles)
17a	Black coating	Black zipper pull (pocket under the seat) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 3 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Paints & Surface Coatings

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: CPSC-CH-E-1003-09.1]

Specimen No.	5a	17a	---	---	---	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	16	---	---	---	90
Conclusion	PASS	PASS	---	---	---	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
5a	Grey coating	Grey metal legs (all styles)
17a	Black coating	Black zipper pull (pocket under the seat) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 4 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	5b	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	51	35	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6a	6b	7	8	9	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	26	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 5 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	10	11	12	13	14	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	26	ND	ND	17	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	15	16	17b	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	18	31	---	---	100
Conclusion	PASS	PASS	PASS	---	---	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Remark:

Specimen No. 10 (Black plastic adjuster on carry bag (all styles)) is same material as Specimen No. 8.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 6 of 10
Date Received: March 11, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Red textile with red plastic backing	Red fabric (chair & bag) (red style)
2	Black textile with black plastic backing	Black fabric (chair & bag) (black style)
3	Blue textile with blue plastic backing	Royal fabric (chair & bag) (royal blue style)
4	Dull black plastic	Black plastic legs support (all styles)
5b	Silvery metal	Grey metal legs (all styles)
6a	Black net textile	Black mesh fabric (cup pocket, chair back & carrying bag) (all styles)
6b	Dull black net textile	Black mesh fabric (cup pocket, chair back & carrying bag) (all styles)
7	Flat black textile with grey soft plastic	Black elastic band (all styles)
8	Matt black plastic	Black plastic buckle (all styles)
9	Matt black textile	Black webbing straps (cup holder) (all styles)
10	Matt black plastic	Black plastic adjuster on carrying bag (all styles)
11	Soft black textile	Black webbing cord (color of sample send) (all styles)
12	Off black textile	Black trim (carrying bag) (all styles)
13	Dull matt black textile	Black shoulder strap (all styles)
14	Dull red textile	Red trim on chair (red style)
15	Dull blue textile	Royal trim on chair (royal blue style)
16	Dull black textile	Black trim on chair (black style)
17b	Dull silvery metal	Black zipper pull (pocket under the seat) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 7 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1	2	3	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	---	---	1000
BBP	ND	ND	ND	---	---	1000
DEHP	ND	ND	ND	---	---	1000
DINP	ND	ND	ND	---	---	1000
DIDP	ND	ND	ND	---	---	1000
DnHP	ND	ND	ND	---	---	1000
Conclusion	PASS	PASS	PASS	---	---	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;
DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
LT = Less than

ND = Not detected (Reporting Limit = 100 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 8 of 10
Date Received: March 11, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Red textile with red plastic backing	Red fabric (chair & bag) (red style)
2	Black textile with black plastic backing	Black fabric (chair & bag) (black style)
3	Blue textile with blue plastic backing	Royal fabric (chair & bag) (royal blue style)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 9 of 10
Date Received: March 11, 2016

DETAILED RESULTS:

Canadian Toys Regulations (SOR/2011-17) Item 23, Total Lead and Mercury in Surface Coating Materials

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: ASTM F963-11 Clause 8.3.1]

Specimen No.	5a	17a	---	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	16	---	---	---	90
Total Hg	ND	ND	---	---	---	10
Conclusion	PASS	PASS	---	---	---	

Note:

Pb = Lead; Hg = Mercury

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
5a	Grey coating	Grey metal legs (all styles)
17a	Black coating	Black zipper pull (pocket under the seat) (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01037
Date of Issue: March 17, 2016
Pages: Page 10 of 10
Date Received: March 11, 2016

SAMPLE PHOTO:



-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.