

Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 1 of 8

BIC GRAPHIC 14421 MYERLAKE CIRCLE CLEARWATER PINELLAS FL 33760 UNITED STATES

The following samples were submitted and identified on behalf of the client as:

KOOZIE PARTY KOOLER

SGS Case No. : HKHL140700037474

Style / Item No. : 45404

Ref. No / P.O. No. : 3801

Quantity Submitted : 5 PCS (5 STYLES)

Manufacturer Date : 2014

Country of Origin : CHINA

Country of Destination : US & CANADA

Sample Receiving Date : JUL 10, 2014

Test Performing Date : JUL 10 TO 18, 2014

or electronic
of liability,
and within
tions under
content or

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation on liability indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 2 of 8

Test Requested : Please refer to the result summary.

Test Method & Results Result Summary

Please refer to next page(s).

Test Requested	Conclusion
Client's Requirement	
a) Lead content in Textiles and Plastics	PASS
b) Lead content in Metal	PASS
c) Formaldehyde content	PASS
d) Soluble Arsenic	PASS
e) Soluble Cadmium	PASS
f) DEHP, BBP, DBP, DIDP, DINP and DnHP content	PASS

Signed for and on behalf of SGS Hong Kong Ltd.

Alex Kwong

Sr Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 3 of 8

Test Results

Client's Requirement

a) Lead content in Textiles and Plastics

Method: With reference to EPA 3050B. Analysis was performed by Atomic Absorption Spectrometry or Inductively Coupled Argon Plasma – Atomic Emission Spectrometry.

Test Item	Result (ppm)	Reporting	Client's Limit
rest item	1 – 11	Limit (ppm)	(ppm)
Lead (Pb)	ND	20	100
Comment	PASS		

Sample Description:

- 1. Black Fabric (Strip) (#5 45404)
- 2. Navy Fabric (Body) (#6 45404)
- 3. Black Fabric (Trim) (#7 45404)
- 4. White Plastic (Inner Lining) (#8 45404)
- 5. Black Plastic (Handle) (#9 45404)
- 6. Black Plastic (Trim) (#10 45404)
- 7. Green Fabric (Body) (#1 45404)
- 8. Black Fabric (Body) (#2 45404)
- 9. Royal Fabric (Body) (#3 45404)
- 10. Red Fabric (Body) (#4 45404)
- 11. Black Fabric (Tab) (#11 45404)

Note: 1. ppm = parts per million 2. ND = Not Detected

b) Lead content in Metal

Method: With reference to EPA 3050B, followed by analysis using Atomic Absorption Spectrometry (AAS).

Test Item	Result (ppm)	Reporting	Client's Limit
rest item	1	Limit (ppm)	(ppm)
Lead (Pb)	27	20	100
Comment	PASS		

Sample Description:

1. Silvery Metal (Opener) (#12 – 45404)

Note: 1. ppm = parts per million 2. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Document at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 4 of 8

Test Results (Con't)

c) Formaldehyde content

Products for children from the age of three and adult:

Method: With reference to BS EN ISO 14184-1:2011 – Textile – Determination of Formaldehyde Part 1: Free and hydrolyzed formaldehyde (water extraction method).

Test Item		Result (ppm)	Reporting	Client's Limit	
rest item	1 – 3	4	5 – 8	Limit (ppm)	(ppm)
Formaldehyde	ND	21	ND	10	75
Comment	PASS	PASS	PASS		

Sample Description:

- 1. Black Fabric (Strip) (#5 45404)
- 2. Navy Fabric (Body) (#6 45404)
- 3. Black Fabric (Trim) (#7 45404)
- 4. Black Fabric (Tab) (#11 45404)
- 5. Green Fabric (Body) (#1 45404)
- 6. Black Fabric (Body) (#2 45404)
- 7. Royal Fabric (Body) (#3 45404)
- 8. Red Fabric (Body) (#4 45404)

Note: 1. ppm = parts per million

2. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 5 of 8

Test Results (Con't) :

d) Soluble Arsenic

Method: With reference to ASTM F963-11 Clause 8.3.2 – Soluble Elements Test Method. Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry.

Test Item	Result (ppm)	Reporting	Client's Limit
Test item	1 – 9	Limit (ppm)	(ppm)
Soluble Arsenic (As)	ND	2.5	25
Comment	PASS		

Sample Description:

- 1. Black Fabric (Strip) (#5 45404)
- 2. Navy Fabric (Body) (#6 45404)
- 3. Black Fabric (Trim) (#7 45404)
- 4. White Plastic (Inner Lining) (#8 45404)
- 5. Black Fabric (Tab) (#11 45404)
- 6. Green Fabric (Body) (#1 45404)
- 7. Black Fabric (Body) (#2 45404)
- 8. Royal Fabric (Body) (#3 45404)
- 9. Red Fabric (Body) (#4 45404)

Note: 1. ppm = parts per million

- 2. ND = Not Detected
- 3. Results shown are of the adjusted analytical result.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 6 of 8

Test Results (Con't) :

e) Soluble Cadmium

Method: With reference to ASTM F963-11 Clause 8.3.2 – Soluble Elements Test Method. Analysis was performed by Inductively Coupled Argon Plasma – Atomic Emission Spectrometry.

Test Item	Result (ppm)	Reporting	Client's Limit	
rest item	1 – 11	Limit (ppm)	(ppm)	
Soluble Cadmium (Cd)	ND	5	75	
Comment	PASS			

Sample Description:

- 1. Black Fabric (Strip) (#5 45404)
- 2. Navy Fabric (Body) (#6 45404)
- 3. Black Fabric (Trim) (#7 45404)
- 4. White Plastic (Inner Lining) (#8 45404)
- 5. Black Fabric (Tab) (#11 45404)
- Black Plastic (Handle) (#9 45404)
- 7. Black Plastic (Trim) (#10 45404)
- 8. Green Fabric (Body) (#1 45404)
- 9. Black Fabric (Body) (#2 45404)
- 10. Royal Fabric (Body) (#3 45404)
- 11. Red Fabric (Body) (#4 45404)

Note: 1. ppm = parts per million

- 2. ND = Not Detected
- 3. Results shown are of the adjusted analytical result.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 7 of 8

Test Results (Con't)

f) DEHP, BBP, DBP, DIDP, DINP and DnHP content

Method: With reference to ASTM Method Designation D3421-75. Analysis was performed by Gas Chromatography / Mass Spectrometry.

Test Item		Result (%)			Reporting	Client's Limit
		1 – 5	6	7 – 10	Limit (%)	(%)
Dibutyl Phthalate	(DBP)	ND	ND	ND	0.003	0.1
Benzylbutyl Phthalate	(BBP)	ND	ND	ND	0.003	0.1
Bis-(2-ethylhexyl) Phthalate	(DEHP)	ND	0.004	ND	0.003	0.1
Diisodecyl Phthalate	(DIDP)	ND	ND	ND	0.010	0.1
Diisononyl Phthalate	(DINP)	ND	0.071	ND	0.010	0.1
Di-n-hexyl phthalate	(DnHP)	ND	ND	ND	0.005	0.1
Comment		PASS	PASS	PASS		

Sample Description:

- 1. Black Fabric (Strip) (#5 45404)
- 2. Navy Fabric (Body) (#6 45404)
- 3. Black Fabric (Trim) (#7 45404)
- 4. White Plastic (Inner Lining) (#8 45404)
- 5. Black Plastic (Handle) (#9 45404)
- Black Plastic (Trim) (#10 45404)
- 7. Green Fabric (Body) (#1 45404)
- 8. Black Fabric (Body) (#2 45404)
- 9. Royal Fabric (Body) (#3 45404)
- 10. Red Fabric (Body) (#4 45404)


Note: 1. % = percentage by weight 2. ND = Not Detected

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sqs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com/en/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No.: HKHL1407052010JL Date: JUL 18, 2014 Page 8 of 8

Photo Appendix



*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.