

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 1 of 6
Date Received: October 16, 2014

SAMPLE INFORMATION:

Description: Cool Gear® Freezable Gel Lid Storage Container
Assortment: - Purchase Order Number: 4136
Item No.: 45641 Country of Origin: United States
†Country of Distribution: United States, Canada Labeled Age Grade: -
Sample Submitted: 3 pcs per style Recommended Age Grade: -
Testing Period: 10/29/2014 – 10/31/2014 Tested Age Grade: -
11/25/2014 – 12/01/2014

OVERALL RESULT:

PASS

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED |
|------------|---|
| PASS | California Proposition 65, Total Lead in Metal / Plastic / Textile |
| PASS | Client's Requirement: Bisphenol A [#] |
| PASS | FDA 21 CFR 177.1520, Polypropylene Copolymers (Solvents Extractions Only) |

Remark:

† Revised information and supersede the previous version of report

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit
Manager, Chemical Laboratory

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.

ACLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 2 of 6
Date Received: October 16, 2014

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: CPSC-CH-E1002-08.2 (Non-Metal)]

| Specimen No. | 1 | 2 | 3 | --- | --- | Limit Total (ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Pb | ND | ND | ND | --- | --- | 100 |
| Conclusion | PASS | PASS | PASS | --- | --- | |

Note:

Pb = Lead

ppm = Parts per million = mg/kg (Milligrams per kilogram)

ND = Not detected (Reporting Limit = 10ppm)

Remark:

The limit is quoted from client's requirement.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|---|---|
| 1 | Transparent green plastic with iridescent glitter | Green clear plastic container (green style) |
| 2 | Transparent blue plastic with iridescent glitter | Blue clear plastic container (blue style) |
| 3 | Transparent plastic | Semi-transparent plastic lid (all styles) |

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.

ACCLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 3 of 6
Date Received: October 16, 2014

DETAILED RESULTS:

Client's Requirement: Bisphenol A

Analysis performed by High Performance Liquid Chromatography with Fluorescence Detector to determine compliance with the above specification. [Referenced Test Method: ANSECO Method[#]]

| Specimen No. | 1 | 2 | 3 | --- | --- | Limit (ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Bisphenol A | ND | ND | ND | --- | --- | ND |
| Conclusion | PASS | PASS | PASS | --- | --- | |

Note:

ppm = Parts per million = mg/kg (Milligrams per kilogram)
ND = Not Detected (Reporting limit = 1ppm)

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|---|---|
| 1 | Transparent green plastic with iridescent glitter | Green clear plastic container (green style) |
| 2 | Transparent blue plastic with iridescent glitter | Blue clear plastic container (blue style) |
| 3 | Transparent plastic | Semi-transparent plastic lid (all styles) |

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.*

ACLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 4 of 6
Date Received: October 16, 2014

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers (Solvents Extractions Only)

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

| Specimen No. | | | 1 | RL | Specification |
|-----------------------------|----------------|----------|--------|-----|---------------|
| Test Item | Test Condition | | Result | | |
| | Temperature | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 2.5 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 5.3 | 1 | 30 |
| Conclusion | | | PASS | | |

| Specimen No. | | | 2 | RL | Specification |
|-----------------------------|----------------|----------|--------|-----|---------------|
| Test Item | Test Condition | | Result | | |
| | Temperature | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 2.5 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 5.2 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

°C = Degree Celsius

% w/w = Percent by weight

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP(co).

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.*

ACLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 5 of 6
Date Received: October 16, 2014

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers (Solvents Extractions Only)

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

| Specimen No. | | | 3 | RL | Specification |
|-----------------------------|----------------|----------|--------|-----|---------------|
| Test Item | Test Condition | | Result | | |
| | Temperature | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 2.8 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 7.1 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

°C = Degree Celsius

% w/w = Percent by weight

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP(co).

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|---|---|
| 1 | Transparent green plastic with iridescent glitter | Green clear plastic container (green style) |
| 2 | Transparent blue plastic with iridescent glitter | Blue clear plastic container (blue style) |
| 3 | Transparent plastic | Semi-transparent plastic lid (all styles) |

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.

ACCLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 14H-03434(R2)
Date of Issue: February 04, 2015
Pages: Page 6 of 6
Date Received: October 16, 2014

SAMPLE PHOTO:



-End Report-

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
Test is not covered under ACLASS (Certificate # AT-1500) accredited listed scope.*

ACLASS is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.