

TEST REPORT

Test Report # 19H-007586 Date of Report Issue: November 8, 2019
Date of Sample Received: October 14, 2019 Pages: Page 1 of 7

CLIENT INFORMATION:

Company: BIC Graphic
Recipient: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)



SAMPLE INFORMATION:

| | | | |
|--------------------------|-------------------------|------------------------|---------|
| Description: | Wax Gel Highlighter | | |
| Assortment: | - | Test Request Form No.: | 3409_HK |
| Item No.: | 55709 | Country of Origin: | China |
| Shipment Order No.: | PO 7098479 | Labeled Age Grade: | - |
| Country of Distribution: | United States, Canada | Recommended Age Grade: | - |
| Quantity Submitted: | 4 pcs per style | Tested Age Grade: | - |
| Testing Period: | 10/14/2019 – 10/17/2019 | | |

OVERALL RESULT:

 **PASS**

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

Loska Yeung Lok Ka
Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.
If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED |
|------------|--|
| PASS | California Proposition 65, Total Lead in Metal / Plastic / Textile |
| PASS | Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content |

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1 | 2 | 3 | 4 | 5 | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | ND | ND | ND | 100 |
| Conclusion | PASS | PASS | PASS | PASS | PASS | |

| Specimen No. | 6 | 7 | 8 | 9 | --- | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | ND | ND | --- | 100 |
| Conclusion | PASS | PASS | PASS | PASS | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|------------------------|---|
| 1 | Green plastic | Green ABS plastic barrel (green style) |
| 2 | Yellow plastic | Yellow ABS plastic barrel (yellow style) |
| 3 | Orange plastic | Orange ABS plastic barrel (orange style) |
| 4 | Pink plastic | Pink ABS plastic barrel (pink style) |
| 5 | Green gel | Green wax gel highlighter (green style) |
| 6 | Translucent yellow gel | Yellow wax gel highlighter (yellow style) |
| 7 | Translucent orange gel | Orange wax gel highlighter (orange style) |
| 8 | Translucent pink gel | Pink wax gel highlighter (pink style) |
| 9 | Clear plastic | Clear PP plastic cap (all styles) |

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1 | 2 | 3 | 4 | 5 | Limit (mg/kg) |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | |
| Total Lead (Pb) | ND | ND | ND | ND | ND | 90 |
| Conclusion | PASS | PASS | PASS | PASS | PASS | |

| Specimen No. | 6 | 7 | 8 | 9 | --- | Limit (mg/kg) |
|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | |
| Total Lead (Pb) | ND | ND | ND | ND | --- | 90 |
| Conclusion | PASS | PASS | PASS | PASS | --- | |

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|------------------------|---|
| 1 | Green plastic | Green ABS plastic barrel (green style) |
| 2 | Yellow plastic | Yellow ABS plastic barrel (yellow style) |
| 3 | Orange plastic | Orange ABS plastic barrel (orange style) |
| 4 | Pink plastic | Pink ABS plastic barrel (pink style) |
| 5 | Green gel | Green wax gel highlighter (green style) |
| 6 | Translucent yellow gel | Yellow wax gel highlighter (yellow style) |
| 7 | Translucent orange gel | Orange wax gel highlighter (orange style) |
| 8 | Translucent pink gel | Pink wax gel highlighter (pink style) |
| 9 | Clear plastic | Clear PP plastic cap (all styles) |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.