

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 1 of 8
Date Received: March 14, 2016

SAMPLE INFORMATION:

Description:	Slant Flap Messenger		
Assortment:	-	Purchase Order Number:	7043
Item No.:	AP3190	Country of Origin:	China
Country of Distribution:	United States, Canada	Labeled Age Grade:	-
Sample Submitted:	3 pcs per style	Recommended Age Grade:	-
Testing Period:	03/14/2016 – 03/21/2016	Tested Age Grade:	-

OVERALL RESULT:

PASS

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit
Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 2 of 8
Date Received: March 14, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	5	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	ND	14	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Specimen No. 1 (Black webbing strap (all styles)) is same material as Specimen No. 5.

Specimen No. 9 (Black material (all styles)) is same material as Specimen No. 5.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 3 of 8
Date Received: March 14, 2016

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	11	---	---	---	---	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	---	---	---	---	100
Conclusion	PASS	---	---	---	---	

Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 4 of 8
Date Received: March 14, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black pp non-woven	Black webbing strap (all styles)
2	Black plastic	Black plastic loop & slider (all styles)
3	Black textile	Black webbing trim (all styles)
4	Green textile	Moss green textile (green style)
5	Black pp non-woven	Black textile (black style)
6	Red pp non-woven	Red textile (red style)
7	Blue pp non-woven	Royal textile (blue style)
8	Gray pp non-woven	Gray textile (all styles)
9	Black pp non-woven	Black material (all styles)
10	Dull black textile with grey soft plastic	Black elastic band (all styles)
11	Gray net textile	Gray mesh (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 5 of 8
Date Received: March 14, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	4	5	6	7	8	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	ND	ND	1000
BBP	ND	ND	ND	ND	ND	1000
DEHP	ND	ND	ND	ND	ND	1000
DINP	ND	ND	ND	ND	ND	1000
DIDP	ND	ND	ND	ND	ND	1000
DnHP	ND	ND	ND	ND	ND	1000
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;

DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate

ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 100 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 6 of 8
Date Received: March 14, 2016

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	9	---	---	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	---	---	---	---	1000
BBP	ND	---	---	---	---	1000
DEHP	ND	---	---	---	---	1000
DINP	ND	---	---	---	---	1000
DIDP	ND	---	---	---	---	1000
DnHP	ND	---	---	---	---	1000
Conclusion	PASS	---	---	---	---	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate;
DINP = Diisononyl phthalate; DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
LT = Less than

ND = Not detected (Reporting Limit = 100 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Specimen No. 9 (Black material (all styles)) is same material as Specimen No. 5.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 7 of 8
Date Received: March 14, 2016

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
4	Green textile	Moss green textile (green style)
5	Black pp non-woven	Black textile (black style)
6	Red pp non-woven	Red textile (red style)
7	Blue pp non-woven	Royal textile (blue style)
8	Gray pp non-woven	Gray textile (all styles)
9	Black pp non-woven	Black material (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 16H-01065
Date of Issue: March 21, 2016
Pages: Page 8 of 8
Date Received: March 14, 2016

SAMPLE PHOTO:



-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.