

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 1 of 11  
Date Received: November 24, 2015

### SAMPLE INFORMATION:

Description: Spin Dr. Jr. Writing Pad  
Assortment: - Purchase Order Number: 5908  
Item No.: AP4040 Country of Origin: China  
Country of Distribution: United States, Canada Labeled Age Grade: -  
Sample Submitted: 3 pcs per style Recommended Age Grade: -  
†Testing Period: 11/24/2015 – 11/27/2015 Tested Age Grade: -  
12/03/2015 – 12/08/2015  
12/28/2015 – 01/04/2016

### OVERALL RESULT:

**PASS**

†At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings
PASS	California Proposition 65, Total Lead in Paints & Surface Coatings
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Canadian Toys Regulations (SOR/2011-17) Item 23, Total Lead and Mercury in Surface Coating Materials

Remark:

†Revised information and supersedes the previous Report no. 15H-05904(A1).

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit  
Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 2 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints & Surface Coatings

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulations. [Referenced Test Method: CPSC-CH-E-1003-09.1]

Specimen No.	12	13	14	15	16	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

#### Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### †SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
12	Black coating	Black coating material (interior accent) (black style)
13	Goldenrod coating	Goldenrod coating material (interior accent) (goldenrod style)
14	Red coating	Red coating material (interior accent) (red style)
15	Blue coating	Royal coating material (interior accent) (royal style)
16	Light blue coating	Light blue coating material (interior accent) (light blue style)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 3 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †California Proposition 65, Total Lead in Paints & Surface Coatings

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: CPSC-CH-E-1003-09.1]

Specimen No.	12	13	14	15	16	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

#### Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

#### †SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
12	Black coating	Black coating material (interior accent) (black style)
13	Goldenrod coating	Goldenrod coating material (interior accent) (goldenrod style)
14	Red coating	Red coating material (interior accent) (red style)
15	Blue coating	Royal coating material (interior accent) (royal style)
16	Light blue coating	Light blue coating material (interior accent) (light blue style)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 4 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	4a	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	5	6	7	8	9	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

#### Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

Specimen No.6 (Black fabric pen loop (black style)) is same material as specimen No.1.

Specimen No.7 (Goldenrod fabric pen loop (goldenrod style)) is same material as specimen No.2.

Specimen No.8 (Light blue plastic pen loop (light blue style)) is same material as specimen No.4a.

Specimen No.9 (Red fabric pen loop (red style)) is same material as specimen No.3.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 5 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	10	11	17	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	---	---	100
Conclusion	PASS	PASS	PASS	---	---	

#### Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

Specimen No.10 (Royal fabric pen loop (royal style)) is same material as specimen No.4.

Specimen No.17 (Grey PU material coated with all colors (interior accent) (all styles)) is same material as specimen No.5.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 6 of 11  
Date Received: November 24, 2015

### <sup>†</sup>SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black soft PVC	Black material (accent) (black style)
2	Orange soft PVC	Goldenrod material (accent) (goldenrod style)
3	Red soft PVC	Red material (accent) (red style)
4	Blue soft PVC	Royal material (accent) (royal style)
4a	Light blue soft PVC	Light blue material (accent) (light blue style)
5	Gray soft PVC	Black material (body) (all styles)
6	Black soft PVC	Black plastic pen loop (black style)
7	Orange soft PVC	Goldenrod plastic pen loop (goldenrod style)
8	Light blue soft PVC	Light blue plastic pen loop (light blue style)
9	Red soft PVC	Red plastic pen loop (red style)
10	Blue soft PVC	Royal plastic pen loop (royal style)
11	Black PVC	Black interior material (all styles)
17	Gray soft PVC	Grey PU material coated with all colors (interior accent) (all styles)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 7 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1	2	4	4a	5	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	ND	ND	1000
BBP	ND	ND	ND	ND	ND	1000
DEHP	110	ND	ND	ND	ND	1000
DINP	ND	ND	ND	ND	ND	1000
DIDP	ND	ND	ND	ND	ND	1000
DnHP	ND	ND	ND	ND	ND	1000
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

#### Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate  
DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate  
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 100ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 8 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### †California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	11	17	---	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	---	---	---	1000
BBP	ND	ND	---	---	---	1000
DEHP	ND	ND	---	---	---	1000
DINP	ND	ND	---	---	---	1000
DIDP	ND	ND	---	---	---	1000
DnHP	ND	ND	---	---	---	1000
<b>Conclusion</b>	PASS	PASS	---	---	---	

#### Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate  
DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate  
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 100ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

Specimen No.17 (Grey PU material coated with all colors (interior accent) (all styles)) is same material as specimen No.5.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 9 of 11  
Date Received: November 24, 2015

### <sup>†</sup>SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black soft PVC	Black material (accent) (black style)
2	Orange soft PVC	Goldenrod material (accent) (goldenrod style)
4	Blue soft PVC	Royal material (accent) (royal style)
4a	Light blue soft PVC	Light blue material (accent) (light blue style)
5	Gray soft PVC	Black material (body) (all styles)
11	Black PVC	Black interior material (all styles)
17	Gray soft PVC	Grey PU material coated with all colors (interior accent) (all styles)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 10 of 11  
Date Received: November 24, 2015

### DETAILED RESULTS:

#### <sup>†</sup>Canadian Toys Regulations (SOR/2011-17) Item 23, Total Lead and Mercury in Surface Coating Materials

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced regulation. [Referenced Test Method: ASTM F963-11 Clause 8.3.1]

Specimen No.	12	13	14	15	16	Limit
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Total (ppm)
Total Pb	ND	ND	ND	ND	ND	90
Total Hg	ND	ND	ND	ND	ND	10
Conclusion	PASS	PASS	PASS	PASS	PASS	

#### Note:

Pb = Lead; Hg = Mercury

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### <sup>†</sup>SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
12	Black coating	Black coating material (interior accent) (black style)
13	Goldenrod coating	Goldenrod coating material (interior accent) (goldenrod style)
14	Red coating	Red coating material (interior accent) (red style)
15	Blue coating	Royal coating material (interior accent) (royal style)
16	Light blue coating	Light blue coating material (interior accent) (light blue style)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05904(A1)(R1)  
Date of Issue: January 04, 2016  
Pages: Page 11 of 11  
Date Received: November 24, 2015

### †SAMPLE PHOTO:



-End Report-

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.