

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 1 of 7  
Date Received: October 19, 2015

### SAMPLE INFORMATION:

Description:	Madison Padfolio	Purchase Order Number:	5716
Assortment:	-	Country of Origin:	China
Item No.:	AP4310	Labeled Age Grade:	-
Country of Distribution:	United States, Canada	Recommended Age Grade:	-
Sample Submitted:	3 pcs per style	Tested Age Grade:	-
Testing Period:	10/19/2015 – 10/26/2015		

### OVERALL RESULT:

**PASS**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit  
Manager, Chemical Laboratory

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 2 of 7  
Date Received: October 19, 2015

### DETAILED RESULTS:

#### California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	5	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

#### Note:

Pb = Lead

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 3 of 7  
Date Received: October 19, 2015

### SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black textile with black PVC backing	Black fabric (cover) (black style)
2	Red textile with red PVC backing	Burgundy fabric (cover) (burgundy style)
3	Khaki textile with khaki PVC backing	Khaki fabric (cover) (khaki style)
4	Navy textile with navy PVC backing	Navy fabric (cover) (navy blue style)
5	Dull black PVC with grey textile backing	Black leatherette decoration (cover) & trim (all styles)
6	Dull black textile	Black zipper trim (all styles)
7	Bright black textile	Black inner liner (all styles)
8	Transparent PVC	Clear plastic window ID (all styles)
9	Matt black textile with grey soft plastic	Black plastic pen loop (all styles)
10	Dull black PVC with black net textile backing	Black leatherette zipper pull (all styles)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 4 of 7  
Date Received: October 19, 2015

### DETAILED RESULTS:

#### California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1	3	4	5	8	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	ND	ND	ND	1000
BBP	ND	ND	ND	ND	ND	1000
DEHP	ND	ND	ND	ND	ND	1000
DINP	ND	ND	ND	100	ND	1000
DIDP	ND	ND	ND	ND	ND	1000
DnHP	ND	ND	ND	ND	ND	1000
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

#### Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate  
DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate  
ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)  
LT = Less than

ND = Not detected (Reporting Limit = 100ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 5 of 7  
Date Received: October 19, 2015

### DETAILED RESULTS:

#### California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	10	---	---	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	---	---	---	---	1000
BBP	ND	---	---	---	---	1000
DEHP	ND	---	---	---	---	1000
DINP	ND	---	---	---	---	1000
DIDP	ND	---	---	---	---	1000
DnHP	ND	---	---	---	---	1000
<b>Conclusion</b>	PASS	---	---	---	---	

#### Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate

DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate

ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)

LT = Less than

ND = Not detected (Reporting Limit = 100ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 6 of 7  
Date Received: October 19, 2015

### SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Black textile with black PVC backing	Black fabric (cover) (black style)
3	Khaki textile with khaki PVC backing	Khaki fabric (cover) (khaki style)
4	Navy textile with navy PVC backing	Navy fabric (cover) (navy blue style)
5	Dull black PVC with grey textile backing	Black leatherette decoration (cover) & trim (all styles)
8	Transparent PVC	Clear plastic window ID (all styles)
10	Dull black PVC with black net textile backing	Black leatherette zipper pull (all styles)

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

## TEST REPORT

Company: BIC Graphic  
Address: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)

Test Report # 15H-05290(A1)  
Date of Issue: October 26, 2015  
Pages: Page 7 of 7  
Date Received: October 19, 2015

### SAMPLE PHOTO:



-End Report-

*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.*

*The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.*

*This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.*

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.