



## Test Report

No.T31920300495TC

Date: MAR 05, 2020

Page 1 of 12

BIC GRAPHIC

14421 MYERLAKE CIRCLE CLEARWATER  
PINELLAS FL 33760 UNITED STATES

The following samples were submitted and identified by/on behalf of the client as:

KOOZIE® ROGUE 12-PACK KOOLER & KOOZIE® ROGUE KOOLER BACKPACK & KOOZIE®  
ROGUE CROSSBODY KOOLER

SGS Ref. No : CANTY1922736701  
Item No. : 16126 & 16127 & 16128  
Manufacture Date : 2019  
Test Request Form No. : 3385\_HK  
Shipment Order Number : 16127 -- PO 7095767, 16128 -- PO 7096834, 16126 -- PO 7095770  
Country of Origin : CHINA  
Country of Destination : CANADA, UNITED STATES  
Sample Receiving Date : NOV 15, 2019  
Further Information Date : MAR 05, 2020  
Testing Period : NOV 15, 2019 TO DEC 04, 2019

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited | Laboratory: 1/F, 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong [www.sgs.com](http://www.sgs.com)  
Office: Units 303 & 305, 3/F, Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e [mktg.hk@sgs.com](mailto:mktg.hk@sgs.com)

Member of the SGS Group (SGS SA)



Test Requested		Conclusion
1.	CPSIA section 108 – Phthalates in the specified specimen(s) as listed	PASS
	US 16 CFR Part 1307 – Phthalates in the specified specimen(s) as listed	PASS
	US California Proposition 65 (County of Santa Clara Case No. 1-12-CV-230462 & County of San Francisco Case No. CGC-14-541130) – Phthalates Content in the specified specimen(s) as listed	PASS
2.	Title 16, Code of Federal Regulations, Chapter II - Consumer Products Safety Commission of U.S.A. - Part 1303 - Ban of Lead - Containing Paint and Certain Consumer Products Bearing Lead - Containing Paint – Lead Content in the specified specimen(s) as listed	PASS
3.	CPSIA section 101 - Total Lead content in the specified specimen(s) as listed	--
3.1	CPSIA section 101(f) (1) – Lead in paint/similar surface coating material	PASS
3.2	CPSIA section 101(a) (2) – Lead in accessible substrate materials (Including Children’s Metal Jewelry)	PASS
4.	US California Proposition 65 (Out-of-court settlement for Tool bags / holders. Combo bags, Construction bags Tote bags, and Other bags used to carry tools or other objects & SFSC Case no. CGC-05-444522 (Consolidated with case 05-445712, 05-447187, 05-447915, 05-444523, 06-448593, 06-448596 and 06-448597) [CEH vs Accessory]) – Lead Content in the specified specimen(s) as listed	PASS
5.	Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material in the specified specimen(s) as listed	PASS
6.	FDA 21 CFR 177.1350–Chloroform-soluble extractive residues	PASS

\*\*\*\*\* FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) \*\*\*\*\*

Signed for and on behalf of  
SGS Hong Kong Ltd.



\_\_\_\_\_  
To Man Wah, Po  
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Test Results:**
**1. Phthalates Content**

Method: With reference to CPSC-CH-C1001-09.4

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Accessible Materials can be placed in the Mouth

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	1	2	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
Specimen No.	--	3	4	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.028	0.010
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	ND	0.003
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	0.003
Diisobutyl phthalate (DIBP)	84-69-5	ND	ND	0.003
Di-n-pentyl phthalate (DPP/DPenP)	131-18-0	ND	ND	0.003
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Gray woven w/ dark gray plastic sheet backing (Body) (#1-16126 & 16127 & 16128 Gray 600D polyester with PVC backing main fabric)
2. Red woven w/ red plastic sheet backing (Body) (#2-16126 & 16127 & 16128 Red 600D polyester with PVC backing main fabric)
3. Royal woven w/ royal plastic sheet backing (Body) (#3-16126 & 16127 & 16128 Royal 600D polyester with PVC backing main fabric)
4. Silvery plastic sheet (Lining) (#7-16126 & 16127 & 16128 Silver PEVA liner)

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

**The Phthalates Content Requirement(s) is(are) Summarize as below:**

Requirement(s)	Permissible Limit
<b>Consumer Product Safety Improvement Act of 2008</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP or DBP ≤ 0.1%
- Toys for children up to 12 that can be placed in the mouth or childcare articles for children up to 3	- DINP, DNOP or DIDP ≤ 0.1%
<b>US 16 CFR Part 1307</b>	
- Toys for children up to 12 or childcare articles for children up to 3	- DEHP, BBP, DBP, DINP, DIBP, DPENP, DHEXP, and DCHP ≤ 0.1%

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
		1	2	3	
<b>Specimen No.</b>	--	1	2	3	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003

Test Item(s)	CAS No.	Result(s) (%)		MDL (%)
		4	5	
<b>Specimen No.</b>	--	4	5	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	0.005	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Gray woven w/ dark gray plastic sheet backing (Body) (#1-16126 & 16127 & 16128 Gray 600D polyester with PVC backing main fabric)
2. Red woven w/ red plastic sheet backing (Body) (#2-16126 & 16127 & 16128 Red 600D polyester with PVC backing main fabric)
3. Royal woven w/ royal plastic sheet backing (Body) (#3-16126 & 16127 & 16128 Royal 600D polyester with PVC backing main fabric)
4. Black plastic sheet w/ white fiber inside (Bottom, leather tab) (#4-All items Black PVC plastic tarpaulin bottom, leather tab)
5. Silvery plastic sheet (Lining) (#7-16126 & 16127 & 16128 Silver PEVA liner)

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

**The Phthalates Content Requirement(s) is(are) Summarize as below:**

Requirement(s)	Permissible Limit
California Proposition 65 (County of Santa Clara Case No. 1-12-CV-230462)	
<ul style="list-style-type: none"> <li>- Automobile accessories including dashboard-related items</li> <li>- Watches,</li> <li>- Clocks</li> <li>- Toiletry cases/bags, and Purses/wallets</li> <li>- Ear plugs, buds and related accessories</li> <li>- Temporary tattoos,</li> <li>- Charms</li> <li>- Plastic figures, small novelties and stationery-related items/sundries</li> <li>- Bathroom accessories</li> <li>- Bath/kitchen floor and door/welcome mats</li> <li>- Bandage</li> </ul>	<p>&lt; 0.1% DEHP (For Bandage)</p> <p>&lt; 0.1% DEHP, BBP, DBP( For other product)</p>

Test Item(s)	CAS No.	Result(s) (%)			MDL (%)
Specimen No.	--	1	2	3	--
Dibutyl Phthalate (DBP)	84-74-2	ND	ND	ND	0.003
Benzylbutyl Phthalate (BBP)	85-68-7	ND	ND	ND	0.003
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	ND	ND	0.003
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	ND	ND	0.010
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	ND	ND	0.010
Di-n-Hexyl phthalate (DHP/DnHP)	84-75-3	ND	ND	ND	0.003

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Gray woven w/ dark gray plastic sheet backing (Body) (#1-16126 & 16127 & 16128 Gray 600D polyester with PVC backing main fabric)
2. Red woven w/ red plastic sheet backing (Body) (#2-16126 & 16127 & 16128 Red 600D polyester with PVC backing main fabric)
3. Royal woven w/ royal plastic sheet backing (Body) (#3-16126 & 16127 & 16128 Royal 600D polyester with PVC backing main fabric)

- Note:
- % = percentage by weight
  - MDL = Method Detection Limit
  - ND = Not Detected (lower than MDL)

**The Phthalates Content Requirement(s) is(are) Summarize as below:**

Requirement(s)	Permissible Limit
California Proposition 65 (County of San Francisco Case No. CGC-14-541130)	
<ul style="list-style-type: none"> <li>- Bag with vinyl/PVC components</li> <li>- Gamepacks (carrying case/travel bag)</li> <li>- Game controller cables</li> <li>- Controller cases</li> <li>- Vinyl/PVC toppers on stylus</li> </ul>	≤ 0.1% DEHP, DBP, BBP, DIDP, DINP and DnHP

**2. CPSC 16 CFR 1303 - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
<b>Permissible Limit (ppm)</b>	90
<b>Specimen Description</b>	<b>Result(s) (ppm)</b>
1. Black coating on metal (Zipper puller) (#6-16126 & 16127 & 16128 Black metal zipper puller)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**3.1 CPSIA - Lead in Paint/Similar Surface Coating Materials**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Test Item(s)	Lead (Pb)
Permissible Limit (ppm)	90
Specimen Description	Result(s) (ppm)
1. Black coating on metal (Zipper puller) (#6-16126 & 16127 & 16128 Black metal zipper puller)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

**3.2 CPSIA - Lead in Accessible Substrate Materials**

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Permissible Limit **(ppm)	100
Specimen Description	Result(s) (ppm)
1. Silvery metal zipper puller (#6-16126 & 16127 & 16128 Black metal zipper puller)	14

\*\* Permissible Limit applies to a children’s product manufactured after 14 August 2011 (Public Law 110-314 (Consumer Product Safety Improvement Act of 2008) and its Amendments Public Law 112-28)

- Note:
- ppm = parts per million
  - MDL = Method Detection Limit = 10 ppm
  - 1% = 10000 mg/kg = 10000 ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4. US California Proposition 65 – Total Lead Content**

Method: With reference to CPSC-CH-E1003-09.1 - Standard Operating Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Gray woven w/ dark gray plastic sheet backing (Body) (#1-16126 & 16127 & 16128 Gray 600D polyester with PVC backing main fabric)	ND
2. Red woven w/ red plastic sheet backing (Body) (#2-16126 & 16127 & 16128 Red 600D polyester with PVC backing main fabric)	ND
3. Royal woven w/ royal plastic sheet backing (Body) (#3-16126 & 16127 & 16128 Royal 600D polyester with PVC backing main fabric)	ND
4. Black plastic sheet w/ white fiber inside (Bottom, leather tab) (#4--All items Black PVC plastic tarpaulin bottom, leather tab)	ND
5. Black woven band (Strap, handle) (#5-16126 & 16127 & 16128 Black polyester webbing strap, handle)	ND
6. Black soft plastic (Zipper puller) (#4-All items Black PU puller loop)	ND
7. Silvery plastic sheet (Lining) (#7-16126 & 16127 & 16128 Silver PEVA liner)	ND
8. Black coating on metal (Zipper puller) (#6-16126 & 16127 & 16128 Black metal zipper puller)	ND
9. Silvery metal zipper (#6-16126 & 16127 & 16128 Black metal zipper puller)	14

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



**Remark: Summary of permissible limit(s) of Lead requirement:**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (Out-of-court settlement for Tool bags / holders. Combo bags, Construction bags Tote bags, and Other bags used to carry tools or other objects)	90	Current

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Gray woven w/ dark gray plastic sheet backing (Body) (#1-16126 & 16127 & 16128 Gray 600D polyester with PVC backing main fabric)	ND
2. Red woven w/ red plastic sheet backing (Body) (#2-16126 & 16127 & 16128 Red 600D polyester with PVC backing main fabric)	ND
3. Royal woven w/ royal plastic sheet backing (Body) (#3-16126 & 16127 & 16128 Royal 600D polyester with PVC backing main fabric)	ND
4. Black plastic sheet w/ white fiber inside (Bottom, leather tab) (#4--All items Black PVC plastic tarpaulin bottom, leather tab)	ND
5. Silvery plastic sheet (Lining) (#7-16126 & 16127 & 16128 Silver PEVA liner)	ND
6. Black coating on metal (Zipper puller) (#6-16126 & 16127 & 16128 Black metal zipper puller)	ND

- Note:
- ppm = parts per million
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit =10 ppm
  - 1% = 10000mg/kg=10000ppm

**Remark: Summary of permissible limit(s) of Lead requirement:**

Requirement(s)	Permissible Limit of Lead (ppm)	Effective Date
California Proposition 65 (SFSC Case no. CGC-05-444522 (Consolidated with case 05-445712, 05-447187, 05-447915, 05-444523, 06-448593, 06-448596 and 06-448597) [CEH vs Accessory])	Interior Lining	200
	Exterior surface coating of Product	600
	PVC material in exterior of Product	200
		Current

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T31920300495TC

Date: MAR 05, 2020

Page 10 of 12

**5. Canada Consumer Product Safety Act (S.C. 2010, c. 21), Toys Regulations (SOR/2011-17) amended up to January 11, 2019 (Including amendments SOR/2012-71, SOR/2016-195, SOR/2016-302 and SOR/2018-138) - Section 23 (a) and Section 23 (c) - Lead and Mercury in surface coating material**

Method: With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2018

Test Item(s)	Pb	Hg
Permissible Limit (mg/kg)	90	ND
Specimen Description	Result(s) (mg/kg)	
1. Black coating on metal (Zipper puller) (#6-16126 & 16127 & 16128 Black metal zipper puller)	ND	ND

- Note:
- mg/kg = milligram per kilogram
  - ND = Not Detected (lower than MDL)
  - MDL = Method Detection Limit
  - MDL for Pb = 10 mg/kg
  - MDL for Hg = 10 mg/kg
  - The action level of Mercury is 10 mg/kg according to the Industry guide to Health Canada's Safety Requirements for Children's Toys and Related Products, 2012

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



## Test Report

No.T31920300495TC

Date: MAR 05, 2020

Page 11 of 12

### 6. FDA 21 CFR 177.1350–Chloroform-soluble extractive residues

Test Method : With reference to US FDA 21 CFR 177.1350.

<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001</u>	<u>Comment</u>
Distilled Water	24.0hr(s)	120°F	0.5mg/sq. in	<0.2mg/sq. in	PASS
8% Ethanol	24.0hr(s)	120°F	0.5mg/sq. in	<0.2mg/sq. in	PASS
50% Ethanol	24.0hr(s)	120°F	0.5mg/sq. in	<0.2mg/sq. in	PASS
n-Heptane	0.5hr(s)	70°F	0.5mg/sq. in	<0.2mg/sq. in	PASS

#### Test Part Description :

<u>Specimen No.</u>	<u>SGS Sample ID</u>	<u>Description</u>	<u>Material (claimed by the client)</u>
SN1	CAN19-227367.001	Silvery plastic sheet (Lining) (#7-16126 & 16127 & 16128 Silver PEVA liner)	PEVA

#### Notes :

1. mg/inch<sup>2</sup>= milligram per square inch
2. The tests were conducted by SGS-CSTC Guangzhou Lab.

Remark : Limit = Reference limit.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Picture (As received)

Pic.1



Pic.2



Pic.3



Pic.4



Pic.5



SGS authenticate the photo on original report only

\*\*\* End of Report \*\*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.