

## TEST REPORT

Test Report # 20H-005991 Date of Report Issue: September 21, 2020  
Date of Sample Received: September 10, 2020 Pages: Page 1 of 4

### CLIENT INFORMATION:

Company: BIC Graphic  
Recipient: 14421 Myerlake Circle  
Clearwater  
Florida  
33760  
United States (USA)



### SAMPLE INFORMATION:

Description: Koozie® Chair Cooler  
Assortment: - Test Request Form No.: 4223\_HK\_CAR  
Item No.: 45006 Country of Origin: China  
Shipment Order No.: 7118039 Labeled Age Grade: -  
Country of Distribution: United States, Canada Recommended Age Grade: -  
Quantity Submitted: 1 pc Tested Age Grade: -  
Testing Period: 09/10/2020 – 09/14/2020

### OVERALL RESULT:

 **PASS**

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

Ricky Cheung Chin Yeung  
Manager, Physical Laboratory

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	Client's Stability and Loading Test

**DETAILED RESULTS:**

**Client's Stability and Loading Test**

Test	Criteria	Observation	Conclusion
<p><b>Front Stability (Chair) (In-house Method)</b></p> <p>The sample shall be obstructed by 1 in. bar placed against the sample's front support members. A downward pulling force is then applied at an angle of 45 to the test platform until the sample tips forward</p>	<p>The tipping force shall not be less than 40% of the total sample weights</p>	<p>Weight of chair: 2.7 lbs. 40% of the total weight: 1.1 lbs. Tipping force: 2.0 lbs.</p>	<p>PASS</p>
<p><b>Rearward Stability (In-house Method)</b></p> <p>Min 30 lbs. pulling force when a 173 lbs. weight is placed on the seat (strap), tipping force is measured as pulled reward against 1 in. obstruction</p>	<p>The tipping force shall be min 30 lbs.</p>	<p>No tipping observed when 30 lbs. force applied.</p>	<p>PASS</p>
<p><b>Seat Static Loading (In-house Method)</b></p> <p>Static load of 300 lbs. at the center of seating area for 1 minute</p>	<p>Shall not exceed 1/4 in. deformation and/or loss of function /or exhibit structure failure</p>	<p>No deformation, loss of function and structure failure.</p>	<p>PASS</p>

**SAMPLE PHOTO:**



-End Report-