

TEST REPORT

Test Report # 17H-000004 Date of Report Issue: January 10, 2017
Date of Sample Received: January 3, 2017 Pages: Page 1 of 12

CLIENT INFORMATION:

Company: BIC Graphic
Recipient: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)



SAMPLE INFORMATION:

Description: Cool Gear® Salad To Go
Assortment: - Purchase Order Number: 7992
Item No.: 45642 Country of Origin: United States
Country of Distribution: United States, Canada Labeled Age Grade: -
Quantity Submitted: 5 pcs per style Recommended Age Grade: -
Testing Period: 01/03/2017 – 01/10/2017 Tested Age Grade: -

OVERALL RESULT:

 **PASS**

Refer to page 2 for test result summary and appropriate notes.

ANSECO GROUP (HK) LIMITED



Loska Yeung Lok Ka
Leader, Chemical Laboratory

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED |
|------------|--|
| PASS | California Proposition 65, Total Lead in Metal / Plastic / Textile |
| PASS | Client's Requirement, Bisphenol A [#] |
| PASS | FDA 21 CFR 177.1520, Polypropylene Copolymers |

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1 | 2 | 3 | 4 | 5 | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | ND | ND | ND | 100 |
| Conclusion | PASS | PASS | PASS | PASS | PASS | |

| Specimen No. | 6 | 7 | --- | --- | --- | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | --- | --- | --- | 100 |
| Conclusion | PASS | PASS | --- | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 10 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

Specimen No. 4 (White plastic small lid (green style)) is same material as Specimen No. 3.

Specimen No. 5 (White plastic salad dressing bowl (green style)) is same material as Specimen No. 3.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|-----------------------------|---|
| 1 | Light green plastic (PP-co) | Green plastic lid (green style) |
| 2 | Blue plastic (PP-co) | Blue plastic lid (blue style) |
| 3 | White plastic (PP-co) | White plastic bowl (green style) |
| 4 | White plastic (PP-co) | White plastic small lid (green style) |
| 5 | White plastic (PP-co) | White plastic salad dressing bowl (green style) |
| 6 | Green plastic (PP-co) | Green plastic tray (green style) |
| 7 | Light blue plastic (PP-co) | Blue plastic tray (blue style) |

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

DETAILED RESULTS:

Client's Requirement, Bisphenol A

Test Method: AI | ANSECO Method#
 Analytical Method: Liquid Chromatography with Fluorescence Detection

| Specimen No. | | 1 | 2 | 3 | 4 | Limit (ppm) |
|-------------------|---------|--------------|--------------|--------------|--------------|-------------|
| Test Item | CAS No. | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Bisphenol A (BPA) | 80-05-7 | ND | ND | ND | ND | ND |
| Conclusion | | PASS | PASS | PASS | PASS | |

| Specimen No. | | 5 | 6 | 7 | --- | Limit (ppm) |
|-------------------|---------|--------------|--------------|--------------|--------------|-------------|
| Test Item | CAS No. | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Bisphenol A (BPA) | 80-05-7 | ND | ND | ND | --- | ND |
| Conclusion | | PASS | PASS | PASS | --- | |

Note:
 ppm (Parts per million) = mg/kg (Milligrams per kilogram)
 LT = Less than
 ND = Not Detected (Reporting Limit = 1 ppm)

Remark:
 Specimen No. 4 (White plastic small lid (green style)) is same material as Specimen No. 3.
 Specimen No. 5 (White plastic salad dressing bowl (green style)) is same material as Specimen No. 3.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|-----------------------------|---|
| 1 | Light green plastic (PP-co) | Green plastic lid (green style) |
| 2 | Blue plastic (PP-co) | Blue plastic lid (blue style) |
| 3 | White plastic (PP-co) | White plastic bowl (green style) |
| 4 | White plastic (PP-co) | White plastic small lid (green style) |
| 5 | White plastic (PP-co) | White plastic salad dressing bowl (green style) |
| 6 | Green plastic (PP-co) | Green plastic tray (green style) |
| 7 | Light blue plastic (PP-co) | Blue plastic tray (blue style) |

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

| Specimen No. | | | 1 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 3.6 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 6.4 | 1 | 30 |
| Conclusion | | | PASS | | |

| Specimen No. | | | 2 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 4.4 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 8.0 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP-co.

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

| Specimen No. | | | 3 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 0.7 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 3.2 | 1 | 30 |
| Conclusion | | | PASS | | |

| Specimen No. | | | 4 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 0.7 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 3.2 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP-co.

Specimen No. 4 (White plastic small lid (green style)) is same material as Specimen No. 3.

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

| Specimen No. | | | 5 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 0.7 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 3.2 | 1 | 30 |
| Conclusion | | | PASS | | |

| Specimen No. | | | 6 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 2.7 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 17.0 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP-co.

Specimen No. 5 (White plastic salad dressing bowl (green style)) is same material as Specimen No. 3.

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

| Specimen No. | | | 7 | RL | Limit |
|-----------------------------|----------------|----------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| n-Hexane extractive (% w/w) | 50 °C | 2 hours | 3.4 | 0.4 | 5.5 |
| Xylene extractive (% w/w) | 25 °C | 1 hour | 17.2 | 1 | 30 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% w/w = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP-co.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|-----------------------------|---|
| 1 | Light green plastic (PP-co) | Green plastic lid (green style) |
| 2 | Blue plastic (PP-co) | Blue plastic lid (blue style) |
| 3 | White plastic (PP-co) | White plastic bowl (green style) |
| 4 | White plastic (PP-co) | White plastic small lid (green style) |
| 5 | White plastic (PP-co) | White plastic salad dressing bowl (green style) |
| 6 | Green plastic (PP-co) | Green plastic tray (green style) |
| 7 | Light blue plastic (PP-co) | Blue plastic tray (blue style) |

ANSECO GROUP (HK) LIMITED • 3/F Liven House • No. 61 – 63 King Yip Street • Kwun Tong • Kowloon • Hong Kong • Tel: (852)3185 8000

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



-End Report-