

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 1 of 14
 Date Received: September 17, 2015

SAMPLE INFORMATION:

Description: O2COOL® ArcticSqueeze™ Classic - 20 oz.
 Assortment: - Purchase Order Number: 5522
 Item No.: 46079 Country of Origin: United States
 Country of Distribution: United States, Canada Labeled Age Grade: -
 Sample Submitted: 3 pcs per style + 1 lot Recommended Age Grade: -
 Parts
 Testing Period: 10/29/2015 – 11/05/2015 Tested Age Grade: -

OVERALL RESULT:

PASS

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	California Proposition 65, Total Lead in Metal / Plastic / Textile
PASS	California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)
PASS	Client's Requirement: Bisphenol A [#]
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers [#]
PASS	FDA 21 CFR 177.1520, Polyethylene
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA 21 CFR 177.2600, Rubber Articles Intended for Repeated Use
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers

ANSECO GROUP (HK) LIMITED



Vincent Chow Wai Kit
 Manager, Chemical Laboratory

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 2 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

California Proposition 65, Total Lead in Metal / Plastic / Textile

Analysis performed by Inductively Coupled Plasma-Optical Emission Spectrometry to determine compliance with the above referenced specification.

[Referenced Test Method: CPSC-CH-E1001-08.2 (Metal) and/or CPSC-CH-E1002-08.2 (Non-Metal)]

Specimen No.	1	2	3	4	5	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	6	7	8	9	10	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11	12	---	---	---	Limit Total (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Pb	ND	ND	---	---	---	100
Conclusion	PASS	PASS	---	---	---	

Note:

Pb = Lead
 ppm (Parts per million) = mg/kg (Milligrams per kilogram)
 LT = Less than
 ND = Not detected (Reporting Limit = 10ppm)
 Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Specimen No. 12 (Semi-transparent silicone gasket (all styles)) is same material as specimen No. 10.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 3 of 14
 Date Received: September 17, 2015

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Gray soft plastic	Gray soft plastic spout (all styles)
2	Transparent plastic (ABS)	Clear ABS plastic lid (all styles)
3	Blue plastic (LDPE)	Blue LDPE plastic bottle (blue style)
4	Gray plastic (LDPE)	Gray LDPE plastic bottle (grey style)
5	Red plastic (LDPE)	Red LDPE plastic bottle (red style)
6	Dull gray plastic	Gray plastic finger strap (all styles)
7	Matt gray plastic	Gray plastic mist trigger (all styles)
8	Clear plastic (PE)	Clear thin plastic tube for mist system (all styles)
9	Dull translucent plastic (PP-co)	Clear hard plastic part of the mist system (all styles)
10	Translucent soft plastic (Silicone)	Small semi-transparent silicone valve in lid (all styles)
11	White plastic	White plastic mister (all styles)
12	Translucent soft plastic (Silicone)	Semi-transparent silicone gasket (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 4 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Analysis performed by Gas Chromatography/Mass Spectrometry to determine compliance with the above referenced specification. [Referenced Test Method: CPSC-CH-C1001-09.3]

Specimen No.	1	10	---	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
DBP	ND	ND	---	---	---	1000
BBP	ND	ND	---	---	---	1000
DEHP	ND	ND	---	---	---	1000
DINP	ND	ND	---	---	---	1000
DIDP	ND	ND	---	---	---	1000
DnHP	ND	ND	---	---	---	1000
Conclusion	PASS	PASS	---	---	---	

Note:

DBP = Dibutyl phthalate; BBP = Benzyl butyl phthalate; DEHP = Di-(2-ethylhexyl) phthalate
 DINP = Diisononyl phthalate, DIDP = Diisodecyl phthalate; DnHP = Di-n-hexyl phthalate
 ppm (Parts per million) = mg/kg (Milligrams per kilogram) = 0.0001 % w/w (Percent by weight)
 LT = Less than

ND = Not detected (Reporting Limit = 100ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Gray soft plastic	Gray soft plastic spout (all styles)
10	Translucent soft plastic (Silicone)	Small semi-transparent silicone valve in lid (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 5 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

Client's Requirement: Bisphenol A

Analysis performed by High Performance Liquid Chromatography with Fluorescence Detector to determine compliance with the above specification. [Referenced Test Method: AI|ANSECO Method#]

Specimen No.	1	2	3	4	5	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Bisphenol A	ND	ND	ND	ND	ND	ND
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	8	---	---	---	---	Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Bisphenol A	ND	---	---	---	---	ND
Conclusion	PASS	---	---	---	---	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not Detected (Reporting limit = 1 ppm)

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Gray soft plastic	Gray soft plastic spout (all styles)
2	Transparent plastic (ABS)	Clear ABS plastic lid (all styles)
3	Blue plastic (LDPE)	Blue LDPE plastic bottle (blue style)
4	Gray plastic (LDPE)	Gray LDPE plastic bottle (grey style)
5	Red plastic (LDPE)	Red LDPE plastic bottle (red style)
8	Clear plastic (PE)	Clear thin plastic tube for mist system (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 6 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets for Food Containers

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1210#]

Specimen No.			10	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (ppm)	120°F	24 hours	ND	10	50
Conclusion			PASS		

Specimen No.			12	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (ppm)	120°F	24 hours	ND	10	50
Conclusion			PASS		

Note:

°F = Degree Fahrenheit
 ppm (Parts per million) = mg/kg (Milligrams per kilogram)
 LT = Less than
 ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

Specimen No. 12 (Semi-transparent silicone gasket (all styles)) is same material as specimen No. 10.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 15H-04421
Date of Issue: November 05, 2015
Pages: Page 7 of 14
Date Received: September 17, 2015

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
10	Translucent soft plastic (Silicone)	Small semi-transparent silicone valve in lid (all styles)
12	Translucent soft plastic (Silicone)	Semi-transparent silicone gasket (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 8 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polyethylene

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

Specimen No.			3	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
n-Hexane extractive (% w/w)	50°C	2 hours	0.7	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	ND	1.0	11.3
Conclusion			PASS		

Specimen No.			4	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
n-Hexane extractive (% w/w)	50°C	2 hours	0.9	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	1.1	1.0	11.3
Conclusion			PASS		

Note:

°C = Degree Celcius
 g/cc = Grams per cubic centimeter
 % w/w = Percent by weight
 NA = Not applicable
 LT = Less than
 ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 2.1.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PE.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 9 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polyethylene

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

Specimen No.			5	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
n-Hexane extractive (% w/w)	50°C	2 hours	0.5	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	1.4	1.0	11.3
Conclusion			PASS		

Specimen No.			8	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
n-Hexane extractive (% w/w)	50°C	2 hours	0.6	0.4	5.5
Xylene extractive (% w/w)	Reflux	2 hours	2.3	1.0	11.3
Conclusion			PASS		

Note:

°C = Degree Celcius
 g/cc = Grams per cubic centimeter
 % w/w = Percent by weight
 NA = Not applicable
 LT = Less than
 ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 2.1.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PE.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 15H-04421
Date of Issue: November 05, 2015
Pages: Page 10 of 14
Date Received: September 17, 2015

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
3	Blue plastic (LDPE)	Blue LDPE plastic bottle (blue style)
4	Gray plastic (LDPE)	Gray LDPE plastic bottle (grey style)
5	Red plastic (LDPE)	Red LDPE plastic bottle (red style)
8	Clear plastic (PE)	Clear thin plastic tube for mist system (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 11 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.1520]

Specimen No.			9	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
n-Hexane extractive (% w/w)	50 °C	2 hours	ND	0.4	5.5
Xylene extractive (% w/w)	25 °C	1 hour	8.8	1	30
Conclusion			PASS		

Note:

°C = Degree Celsius
 g/cc = Grams per cubic centimeter
 % w/w = Percent by weight
 NA = Not applicable
 LT = Less than
 ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

By client's request, density is not conducted in FDA 21 CFR 177.1520 PP(co).

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
9	Dull translucent plastic (PP-co)	Clear hard plastic part of the mist system (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 12 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber Articles Intended for Repeated Use

Analysis performed by food simulating solvents extractions to determine compliance with above referenced regulation. [Referenced Test Method: FDA 21 CFR 177.2600]

Specimen No.			1	RL	Specification
Test Item	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (mg/in ²)	Reflux	First 7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding 2 hours	ND	0.1	1
Conclusion			PASS		

Note:

mg/in² = Milligram per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

From Client's information, rubber article is intended for repeated use in contact with aqueous food only, therefore n-hexane extractive is not conducted.

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Gray soft plastic	Gray soft plastic spout (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
 Address: 14421 Myerlake Circle
 Clearwater
 Florida
 33760
 United States (USA)

Test Report # 15H-04421
 Date of Issue: November 05, 2015
 Pages: Page 13 of 14
 Date Received: September 17, 2015

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers

Analysis performed by food simulating solvents extractions and Headspace-Gas Chromatography/Mass Spectrometry to determine compliance with above referenced regulations.
 [Referenced Test Method: FDA 21 CFR 180.22 and 181.32]

Acrylonitrile Monomers:

Specimen No.			2	RL	Specification
Test Simulant	Test Condition		Result		
	Temperature	Duration			
Distilled water extractive (mg/in ²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in ²)	120°F	2 hours	ND	0.001	0.003
Conclusion			PASS		

Note:

°F = Degree Fahrenheit
 mg/in² = Milligrams per square inch
 LT = Less than
 ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
2	Transparent plastic (ABS)	Clear ABS plastic lid (all styles)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

TEST REPORT

Company: BIC Graphic
Address: 14421 Myerlake Circle
Clearwater
Florida
33760
United States (USA)

Test Report # 15H-04421
Date of Issue: November 05, 2015
Pages: Page 14 of 14
Date Received: September 17, 2015

SAMPLE PHOTO:



-End Report-

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of ANSECO Group (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.