



Test Report

No.: T31920201709SC

Date: FEB 13, 2019

Page 1 of 7

BIC GRAPHIC
14421 MYERLAKE CIRCLE
CLEARWATER PINELLAS
FL 33760 UNITED STATES

The following samples were submitted and identified on behalf of the client as:

SOUVENIR® ARMOR STYLUS PEN

SGS Case No. : CA319202029819
Item No. : 55946
Test Request Form No. : 3033_HK
Quantity Submitted : 20 PCS OF 4 STYLES
Manufacturer Date : 2018
Shipment Order No. : 7064748
Country of Origin : CHINA
Country of Destination : CANADA, UNITED STATES
Sample Receiving Date : JAN 21, 2019
Test Performing Date : JAN 21 – 24, 2019

Test Requested : Please refer to the result summary.

Test Method & Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
1. US California Proposition 65 – Lead content	PASS
2. US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 – Phthalates content	PASS
3. CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material	PASS
4. Canada Surface Coating Materials Regulations (SOR/2016-193) – Lead and Mercury Content	PASS

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.





Test Report

No.: T31920201709SC

Date: FEB 13, 2019

Page 2 of 7

Conclusion	:	PASS	X
		FAIL	
		INCONCLUSIVE	

Signed for and on behalf of
SGS Hong Kong Ltd.

Che Wai Leuk, Jerry
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Report

No.: T31920201709SC

Date: FEB 13, 2019

Page 3 of 7

Test Results :

1. US California Proposition 65 –Lead Content

Method (non-metallic materials): With reference to CPSC-CH-E1002-08.3 - Standard Operation Procedure for Determining Total Lead (Pb) in Non-Metal Children Product

Method (metal materials): With reference to CPSC-CH-E1001-08.3 - Standard Operating Procedure for Determining Total Lead (Pb) in Children’s Metal Products (Including Children’s Metal Jewelry)

Test Item(s)	Lead (Pb)
Specimen Description	Result(s) (ppm)
1. Black plastic (Inner barrel) (#5-55946 black ABS plastic inner barrel)	ND
2. Black soft plastic (Stylus) (#6-55946 black silicone stylus)	ND
3. Silvery metal (barrel) (#1-55946 indigo blue aluminum barrel, #2-55946 auburn aluminum barrel, #3-55946 burgundy aluminum barrel, #4-55946 silver aluminum barrel)	ND

- Note:
- ppm = parts per million
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit =10 ppm
 - 1% = 10000mg/kg=10000ppm

**Remark: 1. Material information of the sample is provided by the client.
2.Summary of reference limit(s) of Lead requirement:**

Requirement(s)		Reference Limit of Lead (ppm)
California Proposition 65 (County of Marin Case No. CIV 1104003)	Paint and surface coating	90
	All other materials	100

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

2. US California Proposition 65, CPSIA section 108 and US 16 CFR Part 1307 - Phthalates Content

Method: With reference to CPSC-CH-C1001-09.3

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	CAS No.	Result(s) (ppm)	MDL (ppm)
Specimen No.	--	1	
Dibutyl Phthalate (DBP)	84-74-2	ND	30
Benzylbutyl Phthalate (BBP)	85-68-7	ND	30
Bis-(2-ethylhexyl) Phthalate (DEHP)	117-81-7	ND	30
Diisodecyl Phthalate (DIDP)	26761-40-0 / 68515-49-1	ND	100
Di-n-Hexyl phthalate (DHEXP / DnHP)	84-75-3	ND	30
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	30
Diisononyl Phthalate (DINP)	28553-12-0 / 68515-48-0	ND	100
Diiso butyl phthalate (DIBP)	84-69-5	ND	30
Dipentyl phthalate (DnPP/ DPENP)	131-18-0	ND	30
Dicyclohexyl phthalate (DCHP)	84-61-7	ND	30

Specimen Description:

- Black soft plastic (Stylus) (#6-55946 black silicone stylus)

Note:

- ppm = parts per million
- MDL = Method Detection Limit
- ND = Not Detected (lower than MDL)

Summary of Reference Limit of Requirement(s):

Requirement(s)	Reference Limit
California Proposition 65 (ACSC Case No. BG07350969)	≤ 1000 ppm for each of DBP, BBP, DEHP, DIDP and DnHP
CPSIA section 108	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DIDP, DNOP
US 16 CFR Part 1307	≤ 1000 ppm for each of DEHP, DBP, BBP, DINP, DCHP, DHEXP / DnHP, DIBP, DnPP/ DPENP

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

3. CPSIA section 101(f)(1), US 16 CFR 1303 and US California Proposition 65 (Superior Court of California – County of Alameda Case No. RG07356892) – Lead in paint/similar surface coating material

Method : CPSC Test Method: CPSC-CH-E1003-09.1 'Standard Operation Procedure for Determining Lead (Pb) in Paint and Other Similar Surface Coatings'

Test Item	Result (%)	Reporting Limit (%)	Permissible Limit (%)
	1 - 4		
Lead (Pb)	ND	0.002	0.009
Comment	PASS	--	--

Sample Description :

1. Indigo blue coating on metal (On barrel) (#1-55946 indigo blue aluminum barrel)
2. Auburn coating on metal (On barrel) (#2-55946 auburn aluminum barrel)
3. Burgundy coating on metal (On barrel) (#3-55946 burgundy aluminum barrel)
4. Silver coating on metal (On barrel) (#4-55946 silver aluminum barrel)

Note: - % = percentage by weight
 - 1% = 10000 mg/kg
 - ND = Not Detected

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4. Canada Surface Coating Materials Regulations (SOR/2016-193) – Lead and Mercury Content

With reference to Canada Health Product Safety Bureau, Reference Manual Book 5 – Laboratory Policies and Procedures, Part B: Test Methods Section, Method C-02.2:2017 and C-07:2017

Test Item(s)	Total	
	Pb	Hg
Permissible Limit (mg/kg)	90	10
Specimen Description	Result(s) (mg/kg)	
1. Indigo blue coating on metal (On barrel) (#1-55946 indigo blue aluminum barrel)	ND	ND
2. Auburn coating on metal (On barrel) (#2-55946 auburn aluminum barrel)	ND	ND
3. Burgundy coating on metal (On barrel) (#3-55946 burgundy aluminum barrel)	ND	ND
4. Silver coating on metal (On barrel) (#4-55946 silver aluminum barrel)	ND	ND

- Note:
- mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - MDL for Pb = 10 mg/kg
 - MDL for Hg = 10 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm

Remark: Material information of the sample is provided by the client.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Photo Appendix



Sample as received

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.